PACKAGING 2024





Baking Paper	131	PET Liquid Lock	128
Boneguard	113	Poly Bags	114 - 115
Boxes	119	Portion Cups	136
Butchers Paper	122 - 123	Printed Dry Age Vacuum Bag	108
Cake Domes	141	Produce Bags	116
Carton/Dixie Liners	115	Ready Meal Container	143
Cellophane Bags	116	Rectangular Containers	142
Clear Advantage®	140	Round & Rectangular Bowls	138
Clear Containers	139	Round Takeaway Containers	136
Clear Shrink Vacuum Bags	110 - 111	Sandwich Wedges	134
Clear Stand Up Pouches	147	Shank Caps	124
Cling Wrap	131	Sho Bowls	137 - 139
Cloths	121	Singlet Bags	117
Coloured Vacuum Bags	108	Skewers	124
Complete Seal® Rectangle	141	Soaker Pads	124
Compostable Vacuum Bags	112	Stand Up Pouches	146
Compostable Bags & Pouches	5 145	Staplers	125
CPET Trays	129	Staples	125
Ecoboard	132	Stretch Film	125
Embossed Vacuum Bags	112	Sugar Cane Clams	133
Foil Vacuum Pouches	107	Sugar Cane Plates	134
Foil Wrap	131	Sugar Cane Range	135
Ham Vacuum Bags	112	Таре	126
Hang Sell Vacuum Bags	109	Thermoform Film	144
I-Cube	138	Tissuethene	119
Lidding Film	130	TNZ Range	142
MAP Trays	128	Truss Loops	121
Mussel Bag	116	Twine	127
Netting	120 - 121	Utility Trays	137
Netting Loaders	121	Vacuum Bags	106 - 107
Other Bags	118	Whitepac Butcher Bags	116 - 117
Oven Vacuum Bags	107	White Paper Trays	134
Paper Deli Containers	135	Ziplock Bags	117
Parchment Paper	134	Zip Vacuum Bags	109

VACUUM BAGS Clear Standard Pouch

- Enhanced sealing capacity

- Improve food safety Optimise food storage and portion





BAKV080120 B0 x 120 100/1000 BAKV100180 100 x 180 100/1000 BAKV100285 100 x 285 100/1000 BAKV140220 140 x 220 100/1000 BAKV150350 150 x 350 100/2000 BAKV150350 150 x 175 100/1000 BAKV150350 150 x 175 100/1000 BAKV172000 170 x 300 100/1000 BAKV172200 175 x 250 100/1000 BAKV178200 175 x 250 100/1000 BAKV178200 185 x 350 100/1000 BAKV18530 185 x 350 100/1000 BAKV18530 185 x 350 100/1000 BAKV20250 200 x 250 100/1000 BAKV20250 200 x 250 100/1000 BAKV20250 200 x 300 100/1000 BAKV20250 200 x 250 100/1000 BAKV20250 200 x 300 100/1000 BAKV20250 200 x 500 100/1000 BAKV20250 200 x 500 100/1000 BAKV202500 200 x	Code	Size (mm)	Unit Per Pack/Carton
BAGY102265 100 x 285 100/1000 BAGY10220 100 x 500 100/1000 BAGY10220 140 x 220 100/1000 BAGY10220 140 x 220 100/1000 BAGY150175 150 x 350 100/2000 BAGY150200 175 x 200 100/1000 BAGY175200 175 x 250 100/1000 BAGY15200 175 x 250 100/1000 BAGY15250 175 x 250 100/1000 BAGY15250 185 x 350 100/1000 BAGY15250 185 x 350 100/1000 BAGY16350 185 x 350 100/1000 BAGY18550 185 x 450 100/1000 BAGY18540 185 x 450 100/1000 BAGY18540 200 x 250 100/1000 BAGY200250 200 x 250 100/1000 BAGY22050 220 x 50 100/1000 BAGY22050 250 x 50	BAGV080120	80 x 120	100/1000
BAGY100500 100 x 500 100/1000 BAGY140220 140 x 220 100/1000 BAGY150350 150 x 350 100/2000 BAGY170300 170 x 300 100/1000 BAGY172200 175 x 200 100/1000 BAGY17250 175 x 250 100/1000 BAGY17250 175 x 250 100/1000 BAGY185250 185 x 250 100/1000 BAGY185250 185 x 310 100/1000 BAGY185250 185 x 350 100/1000 BAGY185250 185 x 350 100/1000 BAGY195350 185 x 350 100/1000 BAGY10250 200 x 250 100/1000 BAGY20250 200 x 250 100/1000 BAGY20300 200 x 300 100/1000 BAGY20250 220 x 250 100/1000 BAGY20250 220 x 560 100/1000 BAGY22050 220 x	BAGV100180	100 x 180	100/1000
BAGY140220 140 x 220 100/1000 BAGY150350 150 x 350 100/2000 BAGY150350 150 x 350 100/2000 BAGY17500 175 x 200 100/1000 BAGY175200 175 x 250 100/1000 BAGY175250 175 x 250 100/1000 BAGY185250 185 x 250 100/1000 BAGY185310 185 x 350 100/1000 BAGY185250 185 x 350 100/1000 BAGY185350 185 x 350 100/1000 BAGY185260 200 x 250 100/1000 BAGY185250 200 x 250 100/1000 BAGY185260 200 x 250 100/1000 BAGY20250 200 x 250 100/1000 BAGY20300 200 x 300 100/1000 BAGY20250 220 x 500 100/1000 BAGY20250 220 x 50 100/1000 BAGY20250 250 x 50	BAGV100285	100 x 285	100/1000
BAGY150350 150 x 350 100/2000 BAGY150175 150 x 175 100/1000 BAGY170300 170 x 300 100/1000 BAGY175200 175 x 200 100/1000 BAGY175200 175 x 250 100/1000 BAGY175250 175 x 250 100/1000 BAGY185250 185 x 250 100/1000 BAGY185350 185 x 350 100/1000 BAGY185250 185 x 450 100/1000 BAGY185250 185 x 450 100/1000 BAGY185250 185 x 450 100/1000 BAGY200250 200 x 250 100/1000 BAGY20250 200 x 250 100/1000 BAGY20250 220 x 250 100/1000 BAGY20300 220 x 350 100/1000 BAGY220300 220 x 350 100/1000 BAGY220300 220 x 350 100/1000 BAGY220300 220 x 560 100/1000 BAGY220300 220 x 560 100/1000 BAGY220300 220 x 560 100/1000 BAGY220300 <t< td=""><td>BAGV100500</td><td>100 x 500</td><td>100/1000</td></t<>	BAGV100500	100 x 500	100/1000
BAGV150175 150 x 175 100/1000 BAGV170300 170 x 300 100/1000 BAGV175200 175 x 200 100/1000 BAGV175250 175 x 250 100/1000 BAGV185250 185 x 250 100/1000 BAGV185250 185 x 310 100/1000 BAGV185310 185 x 350 100/1000 BAGV185350 185 x 450 100/1000 BAGV185450 185 x 450 100/1000 BAGV20250 200 x 250 100/1000 BAGV20250 200 x 250 100/1000 BAGV20250 200 x 250 100/1000 BAGV20250 220 x 250 100/1000 BAGV20250 220 x 250 100/1000 BAGV22050 220 x 250 100/1000 BAGV22050 220 x 350 100/1000 BAGV22050 220 x 350 100/1000 BAGV22050 250 x 350 100/1000 BAGV22050 250 x 350 100/1000 BAGV22050 260 x 560 100/1000 BAGV22050 260 x 5	BAGV140220	140 x 220	100/1000
BAGV170300 170 x 300 100/1000 BAGV175200 175 x 200 100/1000 BAGV175250 175 x 250 100/1000 BAGV175250 175 x 250 100/1000 BAGV175250 185 x 250 100/1000 BAGV185250 185 x 310 100/1000 BAGV185350 185 x 350 100/1000 BAGV200250 200 x 250 100/1000 BAGV200250 200 x 300 100/1000 BAGV200250 220 x 250 100/1000 BAGV20250 220 x 250 100/1000 BAGV20250 220 x 300 100/1000 BAGV20250 220 x 300 100/1000 BAGV20250 220 x 350 100/1000 BAGV20300 220 x 480 100/1000 BAGV220350 220 x 560 100/1000 BAGV220480 220 x 480 100/1000 BAGV22050 250 x 350 100/1000 BAGV22050 260 x 560 100/1000 BAGV22050 260 x 560 100/1000 BAGV22050 300	BAGV150350	150 x 350	100/2000
BAGV175200 175 x 200 100/1000 BAGV175250 175 x 250 100/1000 BAGV185250 185 x 250 100/1000 BAGV185250 185 x 310 100/1000 BAGV185350 185 x 350 100/1000 BAGV185350 185 x 350 100/1000 BAGV185450 185 x 450 100/1000 BAGV200250 200 x 250 100/1000 BAGV200300 200 x 300 100/1000 BAGV20300 200 x 300 100/1000 BAGV22050 220 x 480 100/1000 BAGV22050 220 x 560 100/1000 BAGV24520 245 x 300 100/1000 BAGV250350 250 x 350 100/1000 BAGV250350 260 x 560 100/1000 BAGV300400 <td< td=""><td>BAGV150175</td><td>150 x 175</td><td>100/1000</td></td<>	BAGV150175	150 x 175	100/1000
BAGV175250 175 x 250 100/1000 BAGV185250 185 x 250 100/1000 BAGV185310 185 x 310 100/1000 BAGV185350 185 x 350 100/1000 BAGV185350 185 x 450 100/1000 BAGV20250 200 x 250 100/1000 BAGV20250 200 x 250 100/1000 BAGV20250 200 x 300 100/1000 BAGV20250 220 x 250 100/1000 BAGV20250 220 x 300 100/1000 BAGV20300 220 x 300 100/1000 BAGV220350 220 x 350 100/1000 BAGV220350 220 x 350 100/1000 BAGV220540 220 x 480 100/1000 BAGV220550 245 x 250 100/1000 BAGV220550 250 x 350 100/1000 BAGV22050 260 x 560 100/1000 BAGV22050 260 x 560 100/1000 BAGV22050 300 x 450 100/1000 BAGV25050 300 x 450 100/1000 BAGV300400 300 x	BAGV170300	170 x 300	100/1000
BAGV185250 185 x 250 100/1000 BAGV185310 185 x 310 100/1000 BAGV185350 185 x 350 100/1000 BAGV185350 185 x 450 100/1000 BAGV20250 200 x 250 100/1000 BAGV200300 200 x 300 100/1000 BAGV20250 200 x 250 100/1000 BAGV20250 220 x 250 100/1000 BAGV20250 220 x 250 100/1000 BAGV220300 220 x 300 100/1000 BAGV220350 220 x 350 100/1000 BAGV220480 220 x 480 100/1000 BAGV220560 250 x 560 100/1000 BAGV220560 250 x 560 100/1000 BAGV220560 260 x 560 100/1000 BAGV260500 260 x 560 100/1000 BAGV260500 260 x 560 100/1000 BAGV300400 300 x 400 100/1000 BAGV30050 300 x 550 100/500 BAGV300600 300 x 600 100/500 BAGV300600 35	BAGV175200	175 x 200	100/1000
BAGV185310 185 x 310 100/1000 BAGV185350 185 x 350 100/1000 BAGV185350 185 x 450 100/1000 BAGV200250 200 x 250 100/1000 BAGV200250 200 x 250 100/1000 BAGV200300 200 x 300 100/1000 BAGV220250 220 x 250 100/1000 BAGV220300 220 x 300 100/1000 BAGV220350 220 x 350 100/1000 BAGV220350 220 x 350 100/1000 BAGV220560 220 x 560 100/1000 BAGV220560 220 x 560 100/1000 BAGV220560 250 x 350 100/1000 BAGV245250 245 x 250 100/1000 BAGV245250 260 x 560 100/1000 BAGV260700 260 x 560 100/1000 BAGV260700 260 x 560 100/1000 BAGV300400 300 x 400 100/1000 BAGV300400 300 x 450 100/1000 BAGV30050 300 x 550 100/500 BAGV300600 <	BAGV175250	175 x 250	100/1000
BAGV185350 185 x 350 100/1000 BAGV185450 185 x 450 100/1000 BAGV200250 200 x 250 100/1000 BAGV200250 200 x 300 100/1000 BAGV200250 220 x 250 100/1000 BAGV220250 220 x 250 100/1000 BAGV220300 220 x 300 100/1000 BAGV220350 220 x 350 100/1000 BAGV220480 220 x 480 100/1000 BAGV220560 220 x 560 100/1000 BAGV220560 220 x 560 100/1000 BAGV220560 220 x 560 100/1000 BAGV220560 250 x 350 100/1000 BAGV220560 260 x 560 100/1000 BAGV220500 260 x 500 100/1000 BAGV260500 260 x 560 100/1000 BAGV300400 300 x 450 100/1000 BAGV300450 300 x 450 100/500 BAGV300450 300 x 450 100/500 BAGV300600 300 x 600 100/500 BAGV350500 <t< td=""><td>BAGV185250</td><td>185 x 250</td><td>100/1000</td></t<>	BAGV185250	185 x 250	100/1000
BAGV185450 185 x 450 10D/1000 BAGV200250 200 x 250 10D/1000 BAGV200300 200 x 300 10D/1000 BAGV220250 220 x 250 10D/1000 BAGV220300 220 x 300 10D/1000 BAGV220350 220 x 350 10D/1000 BAGV220350 220 x 350 10D/1000 BAGV220480 220 x 480 10D/1000 BAGV220560 220 x 560 10D/1000 BAGV220560 220 x 560 10D/1000 BAGV220560 250 x 350 10D/1000 BAGV220560 250 x 350 10D/1000 BAGV245250 245 x 250 10D/1000 BAGV260560 260 x 560 10D/1000 BAGV260560 260 x 560 10D/1000 BAGV300400 300 x 450 10D/1000 BAGV300450 300 x 450 10D/1000 BAGV300500 300 x 550 10D/500 BAGV300500 300 x 600 10D/500 BAGV300500 350 x 600 10D/500 BAGV305000 <t< td=""><td>BAGV185310</td><td>185 x 310</td><td>100/1000</td></t<>	BAGV185310	185 x 310	100/1000
BAGV200250 200 x 250 100/1000 BAGV200300 200 x 300 100/1000 BAGV220250 220 x 250 100/1000 BAGV220300 220 x 300 100/1000 BAGV220350 220 x 350 100/1000 BAGV220350 220 x 350 100/1000 BAGV220560 220 x 480 100/1000 BAGV220560 220 x 560 100/1000 BAGV220560 220 x 560 100/1000 BAGV220560 220 x 560 100/1000 BAGV245250 245 x 250 100/1000 BAGV250350 250 x 350 100/1000 BAGV260560 260 x 560 100/1000 BAGV260560 260 x 700 100/1000 BAGV300400 300 x 450 100/1000 BAGV300450 300 x 450 100/1000 BAGV300450 300 x 550 100/500 BAGV300450 300 x 550 100/500 BAGV300400 350 x 600 100/500 BAGV375550 375 x 550 100/500 BAGV370500 <td< td=""><td>BAGV185350</td><td>185 x 350</td><td>100/1000</td></td<>	BAGV185350	185 x 350	100/1000
BAGV200300 200 x 300 100/1000 BAGV220250 220 x 250 100/1000 BAGV220300 220 x 300 100/1000 BAGV220350 220 x 350 100/1000 BAGV220480 220 x 480 100/1000 BAGV220560 220 x 560 100/1000 BAGV220560 220 x 560 100/1000 BAGV220560 245 x 250 100/1000 BAGV220560 245 x 300 100/1000 BAGV250350 250 x 350 100/1000 BAGV260560 260 x 560 100/1000 BAGV260700 260 x 700 100/500 BAGV300400 300 x 400 100/1000 BAGV300400 300 x 450 100/500 BAGV300550 300 x 550 100/500 BAGV300600 300 x 600 100/500 BAGV300600 350 x 500 100/500 BAGV300600 350 x 500 100/500 BAGV300600 390 x 400 100/500 BAGV300600 390 x 400 100/500 BAGV390500 390	BAGV185450	185 x 450	100/1000
BAGV220250 220 x 250 100/1000 BAGV220300 220 x 300 100/1000 BAGV220350 220 x 350 100/1000 BAGV220480 220 x 480 100/1000 BAGV220560 220 x 560 100/1000 BAGV220560 220 x 560 100/1000 BAGV220560 220 x 560 100/1000 BAGV245250 245 x 250 100/1000 BAGV250350 250 x 350 100/1000 BAGV260560 260 x 560 100/1000 BAGV260560 260 x 560 100/1000 BAGV260560 260 x 560 100/1000 BAGV260700 260 x 560 100/1000 BAGV300400 300 x 400 100/1000 BAGV300450 300 x 450 100/1000 BAGV300450 300 x 550 100/500 BAGV350500 350 x 500 100/500 BAGV350500 350 x 500 100/500 BAGV375550 375 x 550 100/500 BAGV390400 390 x 400 100/500 BAGV390500	BAGV200250	200 x 250	100/1000
BAGV220300 220 x 300 100/1000 BAGV220350 220 x 350 100/1000 BAGV220480 220 x 480 100/1000 BAGV220560 220 x 560 100/1000 BAGV220560 220 x 560 100/1000 BAGV245250 245 x 250 100/1000 BAGV245250 245 x 300 100/1000 BAGV250350 250 x 350 100/1000 BAGV260560 260 x 560 100/1000 BAGV260560 260 x 560 100/1000 BAGV300400 300 x 400 100/1000 BAGV300450 300 x 450 100/1000 BAGV300450 300 x 550 100/500 BAGV300400 300 x 600 100/500 BAGV375550 375 x 550 100/500 BAGV390400 390 x 400 100/500 BAGV390400 390 x 600 100/500 BAGV390600	BAGV200300	200 x 300	100/1000
BAGV220350 220 x 350 100/1000 BAGV220480 220 x 480 100/1000 BAGV220560 220 x 560 100/1000 BAGV22550 245 x 250 100/1000 BAGV245250 245 x 300 100/1000 BAGV245250 245 x 300 100/1000 BAGV250350 250 x 350 100/1000 BAGV260560 260 x 560 100/1000 BAGV260700 260 x 700 100/1000 BAGV300400 300 x 400 100/1000 BAGV300400 300 x 450 100/1000 BAGV300400 300 x 450 100/1000 BAGV300450 300 x 550 100/1000 BAGV300400 300 x 550 100/500 BAGV300550 300 x 550 100/500 BAGV350500 350 x 500 100/500 BAGV350500 350 x 500 100/500 BAGV375550 375 x 550 100/500 BAGV390400 390 x 400 100/500 BAGV390500 390 x 500 100/500 BAGV390600 390	BAGV220250	220 x 250	100/1000
BAGV220480 220 x 480 100/1000 BAGV220560 220 x 560 100/1000 BAGV22550 245 x 250 100/1000 BAGV245250 245 x 300 100/1000 BAGV250350 250 x 350 100/1000 BAGV260560 260 x 560 100/1000 BAGV260700 260 x 700 100/500 BAGV300400 300 x 400 100/1000 BAGV300450 300 x 450 100/1000 BAGV300450 300 x 550 100/1000 BAGV300550 300 x 550 100/1000 BAGV300400 300 x 450 100/1000 BAGV300550 300 x 550 100/500 BAGV300400 300 x 600 100/500 BAGV30550 350 x 500 100/500 BAGV350600 350 x 600 100/500 BAGV390400 390 x 400 100/500 BAGV390500 390 x 500 100/500 BAGV390600 390 x 600 100/500 BAGV390600 390 x 600 100/500	BAGV220300	220 x 300	100/1000
BAGV220560 220 x 560 100/1000 BAGV245250 245 x 250 100/1000 BAGV245300 245 x 300 100/1000 BAGV250350 250 x 350 100/1000 BAGV260560 260 x 560 100/1000 BAGV260700 260 x 700 100/1000 BAGV300400 300 x 400 100/1000 BAGV300450 300 x 450 100/1000 BAGV300450 300 x 450 100/1000 BAGV300450 300 x 450 100/1000 BAGV300600 300 x 450 100/1000 BAGV300600 300 x 550 100/500 BAGV306600 350 x 600 100/500 BAGV350500 350 x 500 100/500 BAGV350600 350 x 600 100/500 BAGV390400 390 x 400 100/500 BAGV390500 390 x 500 100/500 BAGV390600 390 x 600 100/500 BAGV390600 390 x 600 100/500	BAGV220350	220 x 350	100/1000
BAGV245250 245 x 250 100/1000 BAGV245300 245 x 300 100/1000 BAGV250350 250 x 350 100/1000 BAGV260560 260 x 560 100/1000 BAGV260700 260 x 700 100/500 BAGV300400 300 x 400 100/1000 BAGV300450 300 x 450 100/1000 BAGV300450 300 x 550 100/500 BAGV300550 300 x 550 100/500 BAGV300600 350 x 500 100/500 BAGV350500 350 x 500 100/500 BAGV375550 375 x 550 100/500 BAGV390400 390 x 400 100/500 BAGV390400 390 x 600 100/500 BAGV390400 390 x 600 100/500 BAGV390400 390 x 600 100/500 BAGV390500 390 x 600 100/500 BAGV390600 390 x 600 100/500	BAGV220480	220 x 480	100/1000
BAGV245300 245 x 300 100/1000 BAGV250350 250 x 350 100/1000 BAGV260560 260 x 560 100/1000 BAGV260700 260 x 700 100/500 BAGV300400 300 x 400 100/1000 BAGV300400 300 x 450 100/1000 BAGV300450 300 x 450 100/1000 BAGV300450 300 x 550 100/500 BAGV300600 300 x 600 100/500 BAGV350500 350 x 500 100/500 BAGV350600 350 x 600 100/500 BAGV375550 375 x 550 100/500 BAGV390400 390 x 400 100/500 BAGV390500 390 x 500 100/500 BAGV390500 390 x 600 100/500	BAGV220560	220 x 560	100/1000
BAGV250350 250 x 350 100/1000 BAGV260560 260 x 560 100/1000 BAGV260700 260 x 700 100/500 BAGV300400 300 x 400 100/1000 BAGV300450 300 x 450 100/1000 BAGV300550 300 x 550 100/500 BAGV300600 300 x 600 100/500 BAGV350500 350 x 500 100/500 BAGV350500 350 x 600 100/500 BAGV350600 350 x 600 100/500 BAGV390600 390 x 400 100/500 BAGV390500 390 x 600 100/500 BAGV390500 390 x 600 100/500 BAGV390500 390 x 600 100/500	BAGV245250	245 x 250	100/1000
BAGV260560 260 x 560 100/1000 BAGV260700 260 x 700 100/500 BAGV300400 300 x 400 100/1000 BAGV300450 300 x 450 100/1000 BAGV300550 300 x 550 100/500 BAGV300600 300 x 600 100/500 BAGV350500 350 x 500 100/500 BAGV350500 350 x 500 100/500 BAGV350500 350 x 600 100/500 BAGV370500 375 x 550 100/500 BAGV390400 390 x 400 100/500 BAGV390500 390 x 600 100/500 BAGV390500 390 x 600 100/500	BAGV245300	245 x 300	100/1000
BAGV260700 260 x 700 100/500 BAGV300400 300 x 400 100/1000 BAGV300450 300 x 450 100/1000 BAGV300550 300 x 550 100/500 BAGV300600 300 x 600 100/500 BAGV350500 350 x 500 100/500 BAGV350600 350 x 500 100/500 BAGV375550 375 x 550 100/500 BAGV390400 390 x 400 100/500 BAGV390500 390 x 500 100/500	BAGV250350	250 x 350	100/1000
BAGV300400 300 x 400 100/1000 BAGV300450 300 x 450 100/1000 BAGV300550 300 x 550 100/500 BAGV300600 300 x 600 100/500 BAGV350500 350 x 500 100/500 BAGV350500 350 x 500 100/500 BAGV350600 350 x 600 100/500 BAGV375550 375 x 550 100/500 BAGV390400 390 x 400 100/500 BAGV390500 390 x 600 100/500	BAGV260560	260 x 560	100/1000
BAGV300450 300 x 450 100/1000 BAGV300550 300 x 550 100/500 BAGV300600 300 x 600 100/500 BAGV350500 350 x 500 100/500 BAGV350600 350 x 600 100/500 BAGV375550 375 x 550 100/500 BAGV390400 390 x 400 100/500 BAGV390500 390 x 500 100/500	BAGV260700	260 x 700	100/500
BAGV300550 300 x 550 100/500 BAGV300600 300 x 600 100/500 BAGV350500 350 x 500 100/500 BAGV350600 350 x 600 100/500 BAGV375550 375 x 550 100/500 BAGV390400 390 x 400 100/500 BAGV390500 390 x 500 100/500	BAGV300400	300 x 400	100/1000
BAGV300600 300 x 600 100/500 BAGV350500 350 x 500 100/500 BAGV350600 350 x 600 100/500 BAGV375550 375 x 550 100/500 BAGV390400 390 x 400 100/500 BAGV390500 390 x 500 100/500 BAGV390600 390 x 600 100/500	BAGV300450	300 x 450	100/1000
BAGV350500 350 x 500 100/500 BAGV350600 350 x 600 100/500 BAGV375550 375 x 550 100/500 BAGV390400 390 x 400 100/500 BAGV390500 390 x 500 100/500 BAGV390600 390 x 600 100/500	BAGV300550	300 x 550	100/500
BAGV350600 350 x 600 100/500 BAGV375550 375 x 550 100/500 BAGV390400 390 x 400 100/500 BAGV390500 390 x 500 100/500 BAGV390600 390 x 600 100/500	BAGV300600	300 x 600	100/500
BAGV375550 375 x 550 100/500 BAGV390400 390 x 400 100/500 BAGV390500 390 x 500 100/500 BAGV390600 390 x 600 100/500	BAGV350500	350 x 500	100/500
BAGV390400 390 x 400 100/500 BAGV390500 390 x 500 100/500 BAGV390600 390 x 600 100/500	BAGV350600	350 x 600	100/500
BAGV390500 390 x 500 100/500 BAGV390600 390 x 600 100/500	BAGV375550	375 x 550	100/500
BAGV390600 390 x 600 100/500	BAGV390400	390 x 400	100/500
	BAGV390500	390 x 500	100/500
BAGV400800 400 x 800 100/500	BAGV390600	390 x 600	100/500
	BAGV400800	400 x 800	100/500

Code	Size (mm)	Um	Unit Per Pack/Carton	Product Image
90 Microns				
BAGV09025090	90 x 250	90	100/1000	
100 Microns				
BAGV140450100	140 x 450	100	100/1000	
BAGV175200100	175 x 200	100	100/1000	
BAGV200250100	200 x 250	100	100/1000	1 - 40 -
BAGV300300100	300 x 300	100	100/1000	
BAGV245250100	245 x 250	100	100/1000	- YES
BAGV245350100	245 x 350	100	100/1000	
BAGV260560100	260 x 560	100	100/500	
BAGV300400100	300 x 400	100	100/500	
115 Microns				
BAGV100400115	100 x 400	115	100/1000	

Code	Size (mm)	Um	Unit Per Pack/Carton	Product Image
BAGV14020080F	140 x 200	80	100P/1000C	
BAGV20030080F	200 x 300	80	100P/1000C	SI
BAGV28040099F	280 x 400	99	100P/1000C	
BAGV410510114F	410 x 510	114	100P/500C	
BAGV580825114F	580 x 825	114	100P/500C	

Code	Description	Size (mm)	Unit Per Pack/Carton	Product Image
BAGV0250300	Oven Vac Bag	250 x 300	200/1000	
BAGV0250450	Oven Vac Bag	250 x 450	100/800	2

VACUUM BAGS Clear Higher Micron

A thicker version of our standard vacuum bags. Higher micron food grade commercial vacuum bags are suitable for bone-in products, skin on produce and are more reliability with higher temperature sous vide cooking. Where 70 micron bags are not strong enough, 100 micron bags are the best option.

Um = Thickness

FOIL VACUUM POUCHES

Our three side seal pouches, provide a high barrier against oxygen and water vapour, making them ideal for products requiring extended shelf life. Suitable for a wide range of items, from freeze-dried goods to powders and caplets, they can be used for vacuum packing, gas flushing, and heat sealing, while also being recyclable through the Soft Plastics Recycling Scheme.

OVEN VACUUM BAGS iKON

You get maximum shelf-life, no weight or flavour loss occurs during the cooking process. It applies a uniform heat transfer that reduces cooking time, maintaining guality and flavour.

VACUUM BAGS

<u>Printed Dry Age</u>

COLOURED VACUUM BAGS

<u>Black Back - Clear Front</u>

Black backed, clear front vacuum bag allows clear view of product. Vacuum bags are a popular packaging choice because they increase shelf life, have an enhanced sealing capacity, and superior puncture resistance. They extend shelf life, improve food safety, optimise food storage and portion control, HACCP compatible. A must for sous vide cooking.

Um = Thickness

<u>Gold Back - Clear Front</u>

Gold backed, clear front vacuum bag allows clear view of product. Vacuum bags are a popular packaging choice because they increase shelf life, have an enhanced sealing capacity, and superior puncture resistance. They extend shelf life, improve food safety, optimise food storage and portion control, HACCP compatible. A must for sous vide cooking.

<u> Transparent Colour</u>

Transparent vacuum bags allow a colour tinted view of product. Vacuum bags are a popular packaging choice because they increase shelf life, have an enhanced sealing capacity, and superior puncture resistance. They extend shelf life, improve food safety, optimise food storage and portion control, HACCP compatible. A must for sous vide cooking.

Code	Description	Size (mm)	Unit Per Pack/Carton
BAGVFSSIDA	Dry Age	155 x 228	100P/2000C

Code	Size (mm)	Um	Unit Per Pack/Carton	Product Image
BAGVB100300115BLK	100 x 300	115	100/1000	
BAGVB100400115BLK	100 x 400	115	100/1000	
BAGVB100400BLK	100 x 400	80	100/1000	
BAGVB100600115BLK	100 x 600	115	100/1000	
BAGVB150225BLK	150 x 225	80	100/1000	
BAGVB155225BLK	155 x 225	80	100/1000	
BAGVB165200BLK	165 x 200	80	100/1000	
BAGVB165250BLK	165 x 250	80	100/1000	
BAGVB175275BLK	175 x 275	80	100/1000	
BAGVB195235BLK	195 x 235	80	100/1000	
BAGVB220285BLK	220 x 285	80	100/1000	
BAGVB220360BLK	220 x 360	80	100/1000	

Code	Size (mm)	Um	Unit Per Pack/Carton	Product Image
BAGVB155225GLD	155 x 225	80	100/1000	Street V
BAGVB175275GLD	175 x 275	80	100/1000	
BAGVB195235GLD	195 x 235	80	100/1000	6-
BAGVB220285GLD	220 x 285	80	100/1000	5 A
BAGVB220360GLD	220 x 360	80	100/1000	and the second

Code	Description	Size (mm)	Um	Unit Per Pack/ Carton	Product Image
BAGVP190250	Pink Tint	190 x 250	70	100/1000	
BAGVBL390500	Blue Tint	390 x 500	70	100/500	

Code	Size (mm)	Um	Unit Per Pack/Carton	Product Image
Clear - Ziplock				
BAGVZ170210	170 x 210	70	100/1000	
BAGVZ185270	185 x 270	70	100/1000	44
BAGVZ290310	290 x 310	70	100/1000	
BAGVZ310450	310 x 450	70	100/1000	
BAGVZ320470	320 x 470	70	100/1000	
Black Back - Clear F	Front - Ziplock			
				the second second second second

BAGVZB190230

80

100/1000

190 x 230



Code	Size (mm)	Um	Unit Per Pack/ Carton	Product Image
Clear Front & Back				
BAGVH10028570	100 x 285	70	100/1000	
BAGVH100400HOLE	100 x 400	115	100/1000	S TO S
BAGVH10040070	100 x 400	70	100/1000	2/3
BAGVH140210HOLE	140 x 210	70	100/1000	
BAGVH17525080	175 x 250	80	100/1000	2 Contraction
BAGVH18531080	185 x 310	80	100/1000	
BAGVH20025080	200 x 250	80	100/1000	

Black Back & Clear Front

Code	Size (mm)	Um	Unit Per Pack/Carton	Product Image
BAGVB150225BLK	150 x 225	80	100/1000	A N Y
BAGVH17527580BK	175 x 275	80	100/1000	
BAGVH19523580	195 x 235	80	100/1000	
BAGVB200250BLK	200 x 250	80	100/1000	1 - C
BAGVH22036080	220 x 360	80	100/1000	7 33

Gold Back & Clear Front

Code	Size (mm)	Um	Unit Per Pack/Carton	Product Image
				and the same
BAGVB150225GLD	150 x 225	80	100/1000	
BAGVB175235GLD	175 x 235	80	100/1000	3
BAGVB185310GLD	185 x 310	80	100/1000	\$,25°

ZIP VACUUM BAGS

Ziplock Pouch

Clear ziplock vacuum bag allows a clear view of the product, with the added benefit of a resealable opening.

Black backed, clear front, ziplock vacuum bag allows a clear view of the product, with the added benefit of a resealable opening.

HANG SELL VACUUM BAGS

Hole Punched (Hang)

Hole punched through the top of the bag to allowing it to be hung up on a display. Clear vacuum bag allows clear view of product, front and back.

Add a touch of prestige to your products but displaying in gold or black backed vacuum bags.

CLEAR SHRINK VACUUM BAGS

<u> 50 Micron - Flat Pack</u>

Designed to deliver ultimate protection while maximising shelf life and maintaining a fresh product appearance.

Clear shrink vacuum bags, also known as vacuum shrink bags or vacuum packaging bags, serve various purposes across different industries and households. These bags are typically made from a high-quality, clear plastic material and are designed to remove air from the bag to preserve and protect the contents. Here are some common uses of clear shrink vacuum bags:

Food Preservation

Widely used in the food industry and in households to extend the shelf life of perishable items such as meat, fish, vegetables, and fruits. By removing the air and sealing the bags, they help prevent freezer burn and maintain the freshness of the food.

<u>Marinating</u>

Vacuum bags are used for marinating meats and other foods more effectively. The vacuum sealed environment allows the marinade to penetrate the food more deeply and quickly, enhancing flavour.

Sous Vide Cooking

Vacuum sealed bags are a key component of sous vide cooking. The airtight seal ensures that food is cooked evenly in a water bath, retaining its flavour and moisture.

CS = Curved Seal SS = Straight Seal Um = Thickness



50 Microns BAGVS100450 100 x 450 (Hang Sell) 50 100/2000 BAGVS14040045 140 x 600 SS 50 100/2000 BAGVS165255 165 x 255 SS 50 100/2000 BAGVS165250 185 x 250 CS 50 100/2000 BAGVS165250 185 x 250 CS 50 100/2000 BAGVS165310 185 x 310 CS 50 100/2000 BAGVS20021550 200 x 215 SS 50 100/2000 BAGVS205275 205 x 250 CS 50 100/2000 BAGVS205275 205 x 250 CS 50 100/2000 BAGVS205200 205 x 400 CS 50 100/2000 BAGVS205200 205 x 300 CS 50 100/2000 BAGVS205200 225 x 300 CS 50 100/1000 BAGVS205200 225 x 350 CS 50 100/1000 BAGVS25502 250 x 350 CS 50 100/1000 BAGVS25030 250 x 450 CS 50 100/1000 BAGVS250420 250 x 450 CS 50 100/1000	Code	Size (mm)	Um	Unit Per Pack/Carton
BAGWS14060045 140 x 600 SS 50 100/1000 BAGWS1465255 145 x 255 SS 50 100/2000 BAGWS185250 185 x 250 CS 50 100/2000 BAGWS185250 185 x 250 CS 50 100/2000 BAGWS185250 185 x 250 CS 50 100/2000 BAGWS185210 185 x 310 CS 50 100/2000 BAGWS205250 205 x 250 CS 50 100/2000 BAGWS205275 205 x 275 CS 50 100/2000 BAGWS205200 205 x 400 CS 50 100/2000 BAGWS205700C 205 x 400 CS 50 100/2000 BAGWS205700C 205 x 400 CS 50 100/2000 BAGWS225300 225 x 350 CS 50 100/1000 BAGWS225300 225 x 300 CS 50 100/1000 BAGWS225300 225 x 455 CS 50 100/1000 BAGWS225302 250 x 320 CS 50 100/1000 BAGWS250302 250 x 450 CS 50 100/1000 BAGWS250420 250 x	50 Microns			
BAGWS165255 165 x 255 SS 50 100/2000 BAGWS165160 185 x 160 SS 50 100/2000 BAGWS18520 185 x 310 CS 50 100/2000 BAGWS2021550 200 x 215 SS 50 100/2000 BAGWS205250 205 x 250 CS 50 100/2000 BAGWS205275 205 x 275 CS 50 100/2000 BAGWS205300 205 x 300 CS 50 100/2000 BAGWS205700C 205 x 700 CS 50 100/2000 BAGWS225300 225 x 300 CS 50 100/2000 BAGWS225300 225 x 300 CS 50 100/2000 BAGWS225300 225 x 300 CS 50 100/1000 BAGWS225300 225 x 300 CS 50 100/1000 BAGWS225300 225 x 465 CS 50 100/1000 BAGWS2250420 250 x 320 CS 50 100/1000 BAGWS250500 250 x 320 CS 50 100/1000 BAGWS250500 250 x 450 CS 50 100/1000 BAGWS250500 250 x 460 SS 50 100/1000 BAGWS250500 250 x 500 CS </td <td>BAGVS100450</td> <td>100 x 450 (Hang Sell)</td> <td>50</td> <td>100/2000</td>	BAGVS100450	100 x 450 (Hang Sell)	50	100/2000
BAGWS1B5160 185 x 160 SS 50 100/2000 BAGWS1B5250 185 x 250 CS 50 100/2000 BAGWS1B5310 165 x 310 CS 50 100/2000 BAGWS205205250 205 x 250 CS 50 100/2000 BAGWS205275 205 x 275 CS 50 100/2000 BAGWS205200 205 x 300 CS 50 100/2000 BAGWS205700C 205 x 700 CS 50 100/2000 BAGWS205700C 205 x 700 CS 50 100/2000 BAGWS205700C 205 x 700 CS 50 100/1000 BAGWS205700C 205 x 350 CS 50 100/1000 BAGWS225300 225 x 350 CS 50 100/1000 BAGWS2250320 250 x 350 CS 50 100/1000 BAGWS250320 250 x 350 CS 50 100/1000 BAGWS250500 250 x 450 CS 50 100/1000 BAGWS250500 250 x 450 CS 50 100/1000 BAGWS250500 250 x 500 CS 50 100/1000 BAGWS250500 250 x 500 CS 50 100/1000 BAGWS250600 250 x 50	BAGVS14060045	140 x 600 SS	50	100/1000
BAGVS1B5250 185 x 250 CS 50 100/2000 BAGVS1B5310 185 x 310 CS 50 100/2000 BAGVS20021550 200 x 215 SS 50 100/2000 BAGVS205250 205 x 250 CS 50 100/2000 BAGVS205275 205 x 275 CS 50 100/2000 BAGVS205400 205 x 300 CS 50 100/2000 BAGVS205700C 205 x 700 CS 50 100/2000 BAGVS225300 225 x 300 CS 50 100/2000 BAGVS225300 225 x 300 CS 50 100/1000 BAGVS225300 225 x 350 CS 50 100/1000 BAGVS225300 225 x 350 CS 50 100/1000 BAGVS250320 250 x 350 CS 50 100/1000 BAGVS250320 250 x 350 CS 50 100/1000 BAGVS250320 250 x 450 CS 50 100/1000 BAGVS250420 250 x 450 CS 50 100/1000 BAGVS250500 250 x 500 CS 50 100/1000 BAGVS250500 250 x 500 CS 50 100/1000 BAGVS250500 250 x 500 CS<	BAGVS165255	165 x 255 SS	50	100/2000
BAGVS185310 185 x 310 CS 50 100/2000 BAGVS20021550 200 x 215 SS 50 100/2000 BAGVS205250 205 x 250 CS 50 100/2000 BAGVS205275 205 x 275 CS 50 100/2000 BAGVS205400 205 x 300 CS 50 100/2000 BAGVS205400 205 x 400 CS 50 100/2000 BAGVS205400 205 x 700 CS 50 100/2000 BAGVS225300 225 x 300 CS 50 100/2000 BAGVS225300 225 x 350 CS 50 100/1000 BAGVS225300 225 x 465 CS 50 100/1000 BAGVS250320 225 x 465 CS 50 100/1000 BAGVS250420 250 x 420 CS 50 100/1000 BAGVS250420 250 x 450 CS 50 100/1000 BAGVS250500 250 x 500 CS 50 100/1000 BAGVS250500 250 x 500 CS 50 100/1000 BAGVS250400 300 x 600 SS 50 100/1000 BAGVS250500 250 x 500 CS 50 100/1000 BAGVS250400 300 x 600 SS </td <td>BAGVS185160</td> <td>185 x 160 SS</td> <td>50</td> <td>100/2000</td>	BAGVS185160	185 x 160 SS	50	100/2000
BAGVS20021550 200 x 215 SS 50 100/2000 BAGVS205250 205 x 250 CS 50 100/2000 BAGVS205275 205 x 275 CS 50 100/2000 BAGVS205300 205 x 300 CS 50 100/2000 BAGVS205400 205 x 400 CS 50 100/2000 BAGVS205700C 205 x 700 CS 50 100/2000 BAGVS225300 225 x 300 CS 50 100/2000 BAGVS225300 225 x 300 CS 50 100/2000 BAGVS225300 225 x 350 CS 50 100/1000 BAGVS225302 250 x 320 CS 50 100/1000 BAGVS250320 250 x 320 CS 50 100/1000 BAGVS250420 250 x 420 CS 50 100/1000 BAGVS250450 250 x 450 CS 50 100/1000 BAGVS250400 250 x 400 SS 50 100/1000 BAGVS250400 250 x 400 SS 50 100/1000 BAGVS250400 250 x 400 CS 50 100/1000 BAGVS250400 300 x 4	BAGVS185250	185 x 250 CS	50	100/2000
BAGVS205250 205 x 250 CS 50 100/2000 BAGVS205275 205 x 275 CS 50 100/2000 BAGVS205300 205 x 300 CS 50 100/2000 BAGVS205400 205 x 400 CS 50 100/2000 BAGVS205700C 205 x 700 CS 50 100/2000 BAGVS225300 225 x 300 CS 50 100/2000 BAGVS225300 225 x 350 CS 50 100/1000 BAGVS225350 225 x 455 CS 50 100/1000 BAGVS250320 250 x 320 CS 50 100/1000 BAGVS250320 250 x 320 CS 50 100/1000 BAGVS250320 250 x 320 CS 50 100/1000 BAGVS250420 250 x 450 CS 50 100/1000 BAGVS250500 250 x 400 CS 50 100/1000 BAGVS250400 250 x 700 SS 50 100/1000 BAGVS250400 350 x 400 CS 50 100/1000 BAGVS250500 250 x 700 SS 50 100/1000 BAGVS250400 300 x 400 SS 50 100/1000 BAGVS350400 350 x 400 CS <td>BAGVS185310</td> <td>185 x 310 CS</td> <td>50</td> <td>100/2000</td>	BAGVS185310	185 x 310 CS	50	100/2000
BAGVS205275 205 x 275 CS 50 100/2000 BAGVS205300 205 x 300 CS 50 100/2000 BAGVS205400 205 x 400 CS 50 100/2000 BAGVS205700C 205 x 700 CS 50 100/2000 BAGVS225300 225 x 300 CS 50 100/1000 BAGVS225300 225 x 300 CS 50 100/1000 BAGVS225350 225 x 350 CS 50 100/1000 BAGVS2250320 250 x 456 CS 50 100/1000 BAGVS250320 250 x 320 CS 50 100/1000 BAGVS250320 250 x 420 CS 50 100/1000 BAGVS250420 250 x 420 CS 50 100/1000 BAGVS250420 250 x 400 CS 50 100/1000 BAGVS250400 250 x 500 CS 50 100/1000 BAGVS250400 250 x 400 CS 50 100/1000 BAGVS250400 250 x 600 SS 50 100/1000 BAGVS250400 350 x 400 CS 50 100/1000 BAGVS350400 350 x 59	BAGVS20021550	200 x 215 SS	50	100/2000
BAGVS205300 205 x 300 CS 50 100/2000 BAGVS205400 205 x 400 CS 50 100/2000 BAGVS205700C 205 x 700 CS 50 100/2000 BAGVS225300 225 x 300 CS 50 100/2000 BAGVS225350 225 x 350 CS 50 100/1000 BAGVS224650 225 x 465 CS 50 100/1000 BAGVS250320 250 x 320 CS 50 100/1000 BAGVS250320 250 x 350 CS 50 100/1000 BAGVS250420 250 x 450 CS 50 100/1000 BAGVS250420 250 x 450 CS 50 100/1000 BAGVS250450 250 x 450 CS 50 100/1000 BAGVS250400 250 x 450 CS 50 100/1000 BAGVS250400 250 x 450 CS 50 100/1000 BAGVS250400 250 x 600 SS 50 100/1000 BAGVS250400 300 x 600 SS 50 100/1000 BAGVS300600 300 x 600 SS 50 100/1000 BAGVS300400 350 x 595	BAGVS205250	205 x 250 CS	50	100/2000
BAGVS205400 205 x 400 CS 50 100/2000 BAGVS205700C 205 x 700 CS 50 100/1000 BAGVS225300 225 x 300 CS 50 100/1000 BAGVS225350 225 x 350 CS 50 100/1000 BAGVS224450 225 x 445 CS 50 100/1000 BAGVS250320 250 x 320 CS 50 100/1000 BAGVS250320 250 x 350 CS 50 100/1000 BAGVS250320 250 x 350 CS 50 100/1000 BAGVS250420 250 x 420 CS 50 100/1000 BAGVS250420 250 x 450 CS 50 100/1000 BAGVS250500 250 x 450 CS 50 100/1000 BAGVS250400 250 x 400 SS 50 100/1000 BAGVS250400 250 x 700 SS 50 100/1000 BAGVS300600 300 x 600 SS 50 100/1000 BAGVS350595 350 x 595 CS 50 100/1000 BAGVS30050 400 x 500 CS 50 100/700 BAGVS400400 400 x 400 SS 50 100/1000 BAGVS400400 400 x 400 SS	BAGVS205275	205 x 275 CS	50	100/2000
BAGVS205700C 205 x 700 CS 50 100/1000 BAGVS225300 225 x 300 CS 50 100/2000 BAGVS225350 225 x 350 CS 50 100/1000 BAGVS225350 225 x 465 CS 50 100/1000 BAGVS250320 250 x 320 CS 50 100/1000 BAGVS250320 250 x 320 CS 50 100/1000 BAGVS250320 250 x 320 CS 50 100/1000 BAGVS250420 250 x 420 CS 50 100/1000 BAGVS250420 250 x 420 CS 50 100/1000 BAGVS250450 250 x 420 CS 50 100/1000 BAGVS250400 250 x 500 CS 50 100/1000 BAGVS250400 250 x 600 SS 50 100/1000 BAGVS250700 250 x 700 SS 50 100/1000 BAGVS350400 300 x 600 SS 50 100/1000 BAGVS350595 350 x 595 CS 50 100/1000 BAGVS400400 400 x 500 CS 50 100/1000 BAGVS400400 400 x 600 CS 50 100/1000 BAGVS400400 400 x 600 CS <td>BAGVS205300</td> <td>205 x 300 CS</td> <td>50</td> <td>100/2000</td>	BAGVS205300	205 x 300 CS	50	100/2000
BAGVS225300 225 x 300 CS 50 100/2000 BAGVS225350 225 x 350 CS 50 100/1000 BAGVS224650 225 x 465 CS 50 100/1000 BAGVS250320 250 x 320 CS 50 100/1000 BAGVS250320 250 x 320 CS 50 100/1000 BAGVS250320 250 x 320 CS 50 100/1000 BAGVS250420 250 x 420 CS 50 100/1000 BAGVS250420 250 x 420 CS 50 100/1000 BAGVS250450 250 x 450 CS 50 100/1000 BAGVS250500 250 x 500 CS 50 100/1000 BAGVS25060050 250 x 600 SS 50 100/1000 BAGVS250700 250 x 700 SS 50 100/1000 BAGVS300600 300 x 600 SS 50 100/1000 BAGVS350595 350 x 595 CS 50 100/1000 BAGVS400400 400 x 500 CS 50 100/1000 BAGVS400400 400 x 600 CS 50 100/1000 BAGVS400400 400 x 60	BAGVS205400	205 x 400 CS	50	100/2000
BAGVS225350 225 x 350 CS 50 100/1000 BAGVS224650 225 x 465 CS 50 100/1000 BAGVS250320 250 x 320 CS 50 100/1000 BAGVS250320 250 x 320 CS 50 100/1000 BAGVS250320 250 x 350 CS 50 100/1000 BAGVS250420 250 x 420 CS 50 100/1000 BAGVS250450 250 x 450 CS 50 100/1000 BAGVS250500 250 x 500 CS 50 100/1000 BAGVS25060050 250 x 600 SS 50 100/1000 BAGVS250600 250 x 700 SS 50 100/1000 BAGVS250600 250 x 700 SS 50 100/1000 BAGVS250700 250 x 700 SS 50 100/1000 BAGVS300600 300 x 600 SS 50 100/1000 BAGVS350400 350 x 400 CS 50 100/1000 BAGVS40050050 400 x 500 CS 50 100/1000 BAGVS40050050 400 x 500 CS 50 100/1000 BAGVS400400 400	BAGVS205700C	205 x 700 CS	50	100/1000
BAGVS224650 225 x 465 CS 50 100/1000 BAGVS250320 250 x 320 CS 50 100/1000 BAGVS250350 250 x 350 CS 50 100/1000 BAGVS250420 250 x 420 CS 50 100/1000 BAGVS250420 250 x 420 CS 50 100/1000 BAGVS250420 250 x 450 CS 50 100/1000 BAGVS250450 250 x 450 CS 50 100/1000 BAGVS250600 250 x 500 CS 50 100/1000 BAGVS25060050 250 x 600 SS 50 100/1000 BAGVS250700 250 x 700 SS 50 100/1000 BAGVS300600 300 x 600 SS 50 100/1000 BAGVS350400 350 x 595 CS 50 100/1000 BAGVS350595 350 x 595 CS 50 100/700 BAGVS40050050 400 x 500 CS 50 100/700 BAGVS400400 400 x 400 SS 50 100/1000 BAGVS400400 400 x 400 SS 50 100/1000	BAGVS225300	225 x 300 CS	50	100/2000
BAGVS250320 250 x 320 CS 50 100/1000 BAGVS250350 250 x 350 CS 50 100/1000 BAGVS250420 250 x 420 CS 50 100/1000 BAGVS250420 250 x 450 CS 50 100/1000 BAGVS250450 250 x 450 CS 50 100/1000 BAGVS250500 250 x 500 CS 50 100/1000 BAGVS25060050 250 x 600 SS 50 100/1000 BAGVS250700 250 x 700 SS 50 100/1000 BAGVS350400 300 x 600 SS 50 100/1000 BAGVS350400 350 x 400 CS 50 100/1000 BAGVS350595 350 x 595 CS 50 100/1000 BAGVS40050050 400 x 500 CS 50 100/1000 BAGVS40050050 400 x 500 CS 50 100/700 BAGVS400400 400 x 400 SS 50 100/1000 BAGVS400400 400 x 400 SS 50 100/1000 BAGVS400400 400 x 400 SS 50 100/1000	BAGVS225350	225 x 350 CS	50	100/1000
BAGVS250350 250 x 350 CS 50 100/1000 BAGVS250420 250 x 420 CS 50 100/1000 BAGVS250450 250 x 450 CS 50 100/1000 BAGVS250500 250 x 500 CS 50 100/1000 BAGVS25060050 250 x 600 SS 50 100/1000 BAGVS250700 250 x 700 SS 50 100/1000 BAGVS300600 300 x 600 SS 50 100/1000 BAGVS350400 350 x 400 CS 50 100/1000 BAGVS350400 350 x 595 CS 50 100/1000 BAGVS350595 350 x 595 CS 50 100/1000 BAGVS360400 400 x 500 CS 50 100/1000 BAGVS40050050 400 x 500 CS 50 100/1000 BAGVS400400 400 x 600 CS 50 100/1000 BAGVS400400 400 x 600 CS 50 100/1000	BAGVS224650	225 x 465 CS	50	100/1000
BAGVS250420 250 x 420 CS 50 100/1000 BAGVS250450 250 x 450 CS 50 100/1000 BAGVS250500 250 x 500 CS 50 100/1000 BAGVS25060050 250 x 600 SS 50 100/1000 BAGVS250700 250 x 700 SS 50 100/1000 BAGVS300600 300 x 600 SS 50 100/1000 BAGVS350400 350 x 400 CS 50 100/1000 BAGVS350595 350 x 595 CS 50 100/1000 BAGVS40050050 400 x 500 CS 50 100/700 BAGVS40050050 400 x 600 CS 50 100/700 BAGVS400400 400 x 400 SS 50 100/700	BAGVS250320	250 x 320 CS	50	100/1000
BAGVS250450 250 x 450 CS 50 100/1000 BAGVS250500 250 x 500 CS 50 100/1000 BAGVS25060050 250 x 600 SS 50 100/1000 BAGVS250700 250 x 700 SS 50 100/1000 BAGVS300600 300 x 600 SS 50 100/1000 BAGVS350400 350 x 400 CS 50 100/1000 BAGVS40050050 400 x 500 CS 50 100/1000 BAGVS400400 400 x 400 SS 50 100/1000 BAGVS400600 400 x 600 CS 50 100/1000	BAGVS250350	250 x 350 CS	50	100/1000
BAGVS250500 250 x 500 CS 50 100/1000 BAGVS25060050 250 x 600 SS 50 100/1000 BAGVS250700 250 x 700 SS 50 100/1000 BAGVS300600 300 x 600 SS 50 100/1000 BAGVS350400 350 x 400 CS 50 100/1000 BAGVS350595 350 x 595 CS 50 100/700 BAGVS40050050 400 x 500 CS 50 100/700 BAGVS400400 400 x 600 CS 50 100/1000 BAGVS400600 400 x 600 CS 50 100/1000	BAGVS250420	250 x 420 CS	50	100/1000
BAGVS25060050 250 x 600 SS 50 100/1000 BAGVS250700 250 x 700 SS 50 100/1000 BAGVS300600 300 x 600 SS 50 100/1000 BAGVS350400 350 x 400 CS 50 100/1000 BAGVS350595 350 x 595 CS 50 100/700 BAGVS40050050 400 x 500 CS 50 100/700 BAGVS400400 400 x 600 CS 50 100/1000 BAGVS400600 400 x 600 CS 50 100/700	BAGVS250450	250 x 450 CS	50	100/1000
BAGVS250700 250 x 700 SS 50 100/1000 BAGVS300600 300 x 600 SS 50 100/1000 BAGVS350400 350 x 400 CS 50 100/1000 BAGVS350595 350 x 595 CS 50 100/700 BAGVS40050050 400 x 500 CS 50 100/500 BAGVS400400 400 x 600 CS 50 100/1000 BAGVS400600 400 x 600 CS 50 100/1000	BAGVS250500	250 x 500 CS	50	100/1000
BAGVS300600 300 x 600 SS 50 100/1000 BAGVS350400 350 x 400 CS 50 100/1000 BAGVS350595 350 x 595 CS 50 100/700 BAGVS40050050 400 x 500 CS 50 100/500 BAGVS400400 400 x 400 SS 50 100/1000 BAGVS400600 400 x 600 CS 50 100/700	BAGVS25060050	250 x 600 SS	50	100/1000
BAGVS350400 350 x 400 CS 50 100/1000 BAGVS350595 350 x 595 CS 50 100/700 BAGVS40050050 400 x 500 CS 50 100/500 BAGVS400400 400 x 400 SS 50 100/1000 BAGVS400600 400 x 600 CS 50 100/700	BAGVS250700	250 x 700 SS	50	100/1000
BAGVS350595 350 x 595 CS 50 100/700 BAGVS40050050 400 x 500 CS 50 100/500 BAGVS400400 400 x 400 SS 50 100/1000 BAGVS400600 400 x 600 CS 50 100/700	BAGVS300600	300 x 600 SS	50	100/1000
BAGVS40050050 400 x 500 CS 50 100/500 BAGVS400400 400 x 400 SS 50 100/1000 BAGVS400600 400 x 600 CS 50 100/700	BAGVS350400	350 x 400 CS	50	100/1000
BAGVS400400 400 x 400 SS 50 100/1000 BAGVS400600 400 x 600 CS 50 100/700	BAGVS350595	350 x 595 CS	50	100/700
BAGVS400600 400 x 600 CS 50 100/700	BAGVS40050050	400 x 500 CS	50	100/500
	BAGVS400400	400 x 400 SS	50	100/1000
BAGVS400800 400 x 800 CS 50 100/300	BAGVS400600	400 x 600 CS	50	100/700
	BAGVS400800	400 x 800 CS	50	100/300

Code	Size (mm)	Um	Unit Per Pack/Carton	Product Image
60 Microns				
BAGVS22532560	225 x 325 CS	60	100/1000	
BAGVS25035560	250 x 355 CS	60	100/1000	- Stand Parties
BAGVS30071060	300 x 710 CS	60	100/500	·
BAGVS30055060	400 x 550 CS	60	100/500	
BAGVS40060060	400 x 600 CS	60	100/500	24
BAGVS40071060	400 x 710 CS	60	100/400	and the second s
80 Microns				
BAGVS40050080	400 x 500 CS	80	100/500	

Code	Size (mm)	Um	Unit Per Pack/Carton	Product Image
BAGVS17519595	175 x 195 CS	95	100/2000	
BAGVS25023095	250 x 230 SS	95	100/1000	
BAGVS25024595	250 x 245 CS	95	100/1000	
BAGVS25034595	250 x 345 CS	95	100/800	and the second s
BAGVS25048095	250 x 480 CS	95	100/500	and the second
BAGVS35045095	350 x 450 CS	95	100/500	(Constanting of the second se
BAGVS35075095	350 x 750 CS	95	100/300	
BAGVS40080095	400 x 800 CS	95	100/300	
BAGVS42580095	425 x 800 CS	95	100/300	
BAGVS45070095	450 x 700 CS	95	100/300	

Code	Size (mm)	Um	Unit Per Roll	Product Image
50 Microns				
BAGVS250350R	250 x 350	50	1000	
60 Microns				
BAGVS20530060POR	205 x 300	60	1000	
BAGVS25035560POR	250 x 355	60	1000	
BAGVS25070060POR	250 x 700	60	600	
BAGVS30039060POR	300 x 390	60	1000	
BAGVS30068060POR	300 x 680	60	600	
BAGVS35046060POR	350 x 460	60	600	
BAGVS40050060POR	400 x 500	60	600	
BAGVS40055060POR	400 x 550	60	500	-
BAGVS40060060POR	400 x 600	60	500	
BAGVS40071060POR	400 x 710	60	400	
BAGVS40080060POR	400 x 800	60	400	

CLEAR SHRINK VACUUM BAGS

60/80 Micron - Flat Pack

Designed to deliver ultimate protection while maximising shelf life and maintaining a fresh product appearance.

CS = Curved Seal

<u>95 Micron - Clear Bag</u> <u>No boneguard required</u>

Designed especially for high abuse bone-in products, either fresh or frozen, with extra high puncture resistance to avoid leaks during transportation and storage.

No additional boneguard cloth is necessary.

<u>Perforated On A Roll</u>

Designed to deliver ultimate protection while maximising shelf life and maintaining a fresh product appearance.

HAM VACUUM BAGS

Plain Clear Flat Pack

Almost any bag can be perforated on a roll.

Note: carton quantity may change without notice.

CS = Curved Seal SS = Straight Seal VS = Shank Seal Um = Thickness

EMBOSSED CLEAR

<u>(for external vacuum</u> <u>packers only</u>)

See machinery for vacuum packer options.

COMPOSTABLE

<u>Vacuum Bags</u>

Certified home compostable. Doesn't break down in the carton, only when it goes in to the ground. 100% break down within 26 weeks. Fully toxin free. Worm friendly.

Code	Size (mm)	Um	Unit Pack/Carton	Product Image
60 Microns				
BAGVS40055060 BAGVS40055060 BAGVS40055060 BAGVS40060060	400 x 550 CS Half 400 x 550 VS Half 400 x 550 CS Half 400 x 600 CS Half	60 60 60 60	100/500 100/500 100/400 100/500	
95 Microns - Plain				
BAGVS40055095 BAGVS40070095	400 x 550 CS Half 400 x 700 VS Whole	95	100/400 100/300	
95 Microns - Printed				
BAGVSP40055095 BAGVSP40070095	400 x 550 CS Half 400 x 700 VS Whole	95	100/400 100/300	

Code	Size (mm)	Um	Unit Per Pack/Carton	Product Image
BAGVXBV150300	150 x 300	105	100/2000	
BAGVXBV200300	200 x 300	105	100/1600	2. 3. (2)
BAGVXBV200350	200 x 350	105	100/1200	
BAGVXBV250300	250 x 300	105	100/1200	BH C
BAGVXBV250350	250 x 350	105	100/1000	
BAGVXBV250500	250 x 500	105	100/600	EN ISTER
BAGVXSIV2805	280 x 5m	105	2 Rolls	1 12
BAGVXBV300400	300 x 400	105	800/C	

Code	Description	Size (mm)	Unit Per Roll/Carton	Product Image
				7.000
IKHCV1520	iKON Compost Vac Bag	150 x 200	100/1000	and the
IKHCV1724	iKON Compost Vac Bag	175 x 240	100/1000	E B
IKHCV2130	iKON Compost Vac Bag	210 x 300	100/1000	and the local distance of the local distance
IKHCVAC2535	iKON Compost Vac Bag	255 x 350	100/1000	THIS BAC THOME OF POSTABLE

Code	Description	Size	Unit Per Roll/Carton	Product Image
White				
TAPEBG230C	Boneguard Cotton Roll	230mm x 45m		
TAPEBGP23090P Tapebgp230260P	Boneguard Sheets Boneguard Sheets	230 x 89mm 230 x 254mm	4100/C 1000/C	
TAPEBS7575P TAPEBG115PP TAPEBG115115P TAPEBG230400P TAPEBG250400W TAPEBG250660P TAPEBS300660P TAPEBS400600P	Boneguard Perf Boneguard Perf Boneguard Non-Perf Boneguard Perf Boneguard Perf Boneguard Perf Boneguard Perf Boneguard Perf Boneguard Perf	75 x 75mm 115 x 90m 115 x 90m 115 x 115mm 230 x 400mm 250 x 400mm 250 x 660mm 300 x 660mm	90M 8R/C (11.5CM) R - 90M 8R/C 90M 4R/C 90M 4R/C 90M 4R/C 90M 2R/C 90M 1R/C	
Brown				
TAPEBG115175B	Boneguard Ham	115 x 175mm	90M 8R/C	0
Clear				
TAPEBG150500P Tapebs250450P Tapebg240100C	Boneguard Perf Boneguard Perf 140um Boneguard Perf 100um	150 x 500mm 250 x 450mm 240 x 500mm	250M/R 2R/C 160M/R 2R/C 100M/R	

BONEGUARD

White, Brown & Clear

Boneguards are placed over the exposed bone to protect the food packaging from puncturing and causing leakage.

Used with a variety of meat packaging solutions, including hams, preformed trays, and vacuum type packaging.

Protect your packaging from sharp or jagged meat, pork or ham bones with bone guard sheets and rolls.

POLY BAGS

<u>Clear</u>

- Rubbish and waste disposal Protective packaging during shipping and storage Medical waste disposal and

Code	Size (mm)	Unit Per Pack/Carton
30 Microns		
BAGP0200250P250	200 x 250	250/5000
BAGP0200300	200 x 300	250/5000
BAGP0250300	250 x 300	250/5000
BAGP0250350	250 x 350	250/3000
BAGP0300375	300 x 375	250/3000
BAGP0300450	300 x 450	250/2000
BAGP0375500	375 x 500	250/1000
BAGP0450600	450 x 600	250/1000
BAGP0500750	500 x 750	100/700
BAGP0600900	600 x 900	100/500
BAGP07501000	750 x 1000	100/500
35 Microns		
BAGPOR40065035	400 x 650	500 Roll
40 Microns		
BAGP0090300P250	90 x 300	250/5000
50 Microns - Freezer Grade		
BAGP030045050P100	300 x 450	100/1500
BAGP045060050P100	450 x 600	100/500
BAGP045077550	450 x 775	100/400
BAGP050075050P100	500 x 750	100/400
BAGP060090050	600 x 900	100/300
BAGP0600100050	600 x 1000	350/C
55 Microns - Freezer Grade		
BAGPOR50075055	500 x 750	250 Roll
60 Microns - Freezer Grade		
BAGPOR50090060NP	500 x 900	250 Roll
70 Microns - Freezer Grade		
BAGP020030070	200 x 300	100/2500
BAGP025037570	250 x 375	100/2000
BAGP030045070	300 x 450	100/1200
BAGP037550070	375 x 500	100/1000
BAGP042047070	420 x 470	100/1000
BAGP045060070	450 x 600	100/400
BAGP045077570	450 x 775	100/700
BAGP045090070P100	450 x 900	100/300
BAGP050075070	500 x 750	50/500
BAGP0550100070P10	550 x 1000	10/200
BAGP0600120070	600 x 1200	50/300
	600 x 900	

Code	Size (mm)	Colour	Um	Unit Per Pack/Carton	Product Image
Natural					
BAGPON360420	360 x 420	Natural	20	1000	
Blue					
BAGPOB45060035 BAGPOB50075050	450 x 600 500 x 750	Blue Blue	35 50	250/1000 100/400	



Code	Description	Um	Colour	Unit Pack/Roll
FS4 - 20um				
BAGFS420N	FS4	20	Natural	250/1500
FS5 - 18um				
BAGFS518N	FS5	18	Natural	250/1000
FS6 - 16um				
BAGFS616N	FS6 635 x 380 x 635	16	Natural	100/500
BAGFS616B	FS6 635 x 380 x 635	16	Blue	100/500
BAGFS616BROLL	FS6 635 x 380 x 635	16	Blue	500 Roll
FS6 - 22um				
BAGFS622N	FS6 635 x 380 x 635	22	Natural	100/500
BAGFS622B	FS6 635 x 380 x 635	22	Blue	100/500
BAGFS622BROLL	FS6 635 x 380 x 635	22	Blue	500 Roll
BAGFS622Y	FS6 635 x 380 x 635	22	Yellow	100/500
FS6 - 35um				
BAGFS635BL	FS6 635 x 380 x 635	35	Blue	100/400
FS6 - 50um				
BAGFS650B	FS6 635 x 380 x 635	50	Blue	300//C
Trolley Liner				
BAGP011007001300	FS6	50	Clear	100R
Jumbo				
BAGPOR130012002160	1300 x 1200 x 2160	50	Natural	50R

POLY BAGS

Translucent

Used to pack fruit, vegetables & other loose items while shopping. Perforated for easy tear off.

CARTON/ DIXIE LINERS

When it comes to protecting produce in the food industry in particular, hygiene is crucial and these liners will prevent any means of contamination. Place the bag into a box, shipping boxes or crates, placing it over the edges for a secure fit and then fill as necessary. The bags can be used for a variety of items such as food produce and items that need a waterproof lining, or oily components.

CELLOPHANE BAGS

Effortlessly showcase your food offerings with these flat plain clear bags, providing an ideal presentation solution.

MUSSEL BAG

<u>On a roll</u> Bag for fresh shellfish.

PRODUCE BAGS

Hole Punched

High-quality, hole-punched produce bags, can be used for a multitude of purposes.

Um = Thickness

WHITEPAC BUTCHER BAGS

<u>Plain</u>

Single use bags, for packing cuts of meat.

Code	Description	Size (mm)	Unit Per Pack/Carton	Product Image
BAGCEL02	Cellophane No.2	100 x 135	1000	
BAGCEL03	Cellophane No.3	125 x 185	1000	
BAGCEL04	Cellophane No.4	75 x 35 x 195	1000	
BAGCEL05	Cellophane No.5	100 x 50 x 215	1000	
BAGCEL06	Cellophane No.6	110 x 55 x 265	1000	
BAGCEL07	Cellophane No.7	125 x 55 x 305	1000	
BAGCEL08	Cellophane No.8	180 x 285	1000	

Code	Description	Size (mm)	Unit Per Roll	Product Image
BAGPOR300450MUS	Natural Mussel	300 x 450	500	Fresh shellfish

Code	Capacity (kg)	Size (mm)	Um	Unit Per Pack/Carton	Product Image
					Manal I
BAGPR01KG	1	200 x 300	30	250/5000	
BAGPR02KG	2	225 x 425	30	250/4000	
BAGPRO3KG	3	250 x 500	30	250/2000	A PARTY AND
BAGPR05KG	5	300 x 600	30	250/2000	ac st
BAGPR20KG	20	-	-	50/500	1 Charles

Code	Size (mm)	Unit Per Pack/Carton	Product Image
BAGPOW200250NP	200 x 250	1000/5000	
BAGPOW200300NP	200 x 300	1000/3000	and the second s
BAGPOW250300	250 x 300	1000/5000	24
BAGPOW250350	250 x 350	1000/5000	
BAGPOW250400NP	250 x 400	1000/5000	
BAGPOW300350NP	300 x 350	1000/5000	
BAGPOW300450	300 x 450	1000/3000	
BAGPOW450600NP	450 x 600	500/1500	





Code	Description	Size (mm)	Um	Unit Per Pack/Carton
BAGPOWPB200300	Bacon	200 x 300	13	2000/1000
BAGPOWPBSS200300	Braising/Stew Steak	200 x 300	13	2000/1000
BAGPOWPCB300350	Corned Beef	300 x 350	13	2000/6000
BAGPOWPFS200300	Fillet Steak	200 x 300	13	2000/1000
BAGPOWPM200300	Mince	200 x 300	13	2000/1000
BAGPOWPRB300350	Roast Beef	300 x 350	13	2000/1000
BAGPOWPSF200300	Scotch Fillet/Rib Eye	200 x 300	13	2000/1000
BAGPOWPSPS200300	Sirloin/Porterhouse Steak	200 x 300	13	2000/1000
BAGPOWPTR300350	Topside Roast	300 x 350	13	2000/1000

Code	Description	Size (mm)	Unit Per Pack/Carton	Product Image
BAGPOZIP130155	Ziplock	130 x 155	100/5000	to the set of the set of
BAGPOZIP155230	Ziplock	155 x 230	100/3000	The second second
BAGPOZIP230305	Ziplock	230 x 305	100/1500	
BAGPOZIP255355	Ziplock	255 x 355	100/1500	- STA - and
BAGPOZIP305380	Ziplock	305 x 380	250/1000	and the second
BAGP0ZIP305380100	Ziplock	305 x 380	100P	1 - and the same

BAGPOZIP30035560 Ziplock + Handle 300 x 355 (80um) 50/500



Code	Description	Size (mm)	Unit Per Carton	Product Image
				land
BAGSSHDN	Small HD	200 x 400 x 100	500	ACLE
BAGSLHDN	Large HD	300 x 540 x 160	500	

WHITEPAC BUTCHER BAGS

<u>Printed - Blue text</u>

Single use bags, for packing cuts of meat. Printed with specific labelling.

ZIPLOCK BAGS

Ziplock vacuum bag allows a clear view of the product, with the added benefit of a resealable opening. Vacuum bags are a popular packaging choice because they increase shelf life, have an enhanced sealing capacity, and superior puncture resistance. They extend shelf life, improve food safety, optimise food storage and portion control, HACCP compatible.

SINGLET BAGS

75 Micron - Reusable

Adheres to New Zealand's environmental legislation.

OTHER BAGS

Hot Chicken Bag

Explore the convenience of our printed ziplock/stand-up pouch, specially designed for packaging hot roast chicken.

Paper Flat Brown No.5

General purpose flat brown paper bag. Ideal for loose food products and pastries. Great to have on hand in cafes for takeaway goods.

<u>Beige & Green Woven Bag</u>

Woven bag for life, eco friendly, great for shopping.

<u>Cotton Gourmet Ham Bag</u>

The ham bag is designed to preserve meat freshness by effectively absorbing moisture and preventing mold formation. Say goodbye to drying out and hello to extended freshness with our innovative ham bag.

Code	Description	Unit Per Box/ Carton	Product Image
BAGCOF	Mussel Bag Cotton Singlet	1 (Min 50)	H
BAGHCPN	Hot Chicken Bag	50/500	Hot Reast CHIICBLEN
BAGPCM	Butchers Paper Carry Bag Medium	250	Mymmetri
BAGPCL	Butchers Paper Carry Bag Large	250	a results
BAGPAFB5	Paper Flat Brown No.5	500	
BAGPABB390250	Bag Paper Checkout Small 390 x 250	250/P	
BAGPOWOVEN	Beige & Green Woven Bag	50/200	ALC THE PLATE INFORMATION
BAGCHAM	Cotton Gourmet Ham Bag With Drawstring	250	Source Han BAG
BAGPRCSA	Print Sausage Meat	200	
BAGPRMMM	Print Mince Meat	200/10,000	MINSE

Code	Description	Size (mm)	Unit Per Pack	Product Image
BOXCH60	Hamburger Box	230 x 340 x 85	60	
BOXCM	Meat Box	230 x 102 x 322	100	



Code	Description	Colour	Size (mm)	Unit Pack/Carton	Product Image
TIS900900DEL	Poly Deli Sheet	Black	900 x 900	250	
TISIK400650RBL TIS90090040PAD100	iKON Rippa Sheet Poly Rippa Sheet	Blue Natural	400 x 650 900 x 900	250/4000 100/1800	
TIS360600BLU	Poly Rippa Roll	Blue	360 x 600	1000 Roll	
TIS200275 TIS250360P TIS900900ROLL	Tissuethene Tissuethene Tissuethene	Deli Sheets Pink Blue	200 x 275 250 x 360 900 x 900	1000/5000 2000/8000 1000 Roll	6

BOXES Meat & Burgers

Cardboard burger boxes are versatile packaging solutions that serve various purposes beyond just holding burgers. Here are some common uses for cardboard burger boxes:

- Food packaging
- Takeout containers
- Food storage

TISSUETHENE

Sanitary Food Handling

In butcheries, deli sheets are often used to handle raw meat and seafood.

Lining Trays and Baskets

Deli sheets can be used to line serving trays, baskets, and display cases in cafes.

<u>Baking</u>

In cafes, deli sheets can be used as liners for baking sheets or trays when making pastries, cookies, or other baked goods. They prevent sticking and make it easier to remove the baked items.

Cheese and Charcuterie

Deli sheets are often used as a base for presenting cheese and charcuterie boards. They can be arranged under the cheeses and meats for an attractive and clean presentation.

NETTING

<u>Metranet</u>

Metranet only stretches width (not width and length like springnet). This is used for rolled roasts.

Code	Description	Colour	Length of Roll (m)	Product Image
NETSPNM16	16/4R	White	50	
NETSPNM184R	18/4R	White	50	
NETSPNM204R	20/4R	White	50	
NETSPNM224R	22/4R	White	50	()
NETSPNM264R	24/4R	White	50	
NETSPNM264R	26/4R	White	50	and a second
NETSPNM483T	48/3T	White	50	
NETSPNM284RWR	28/4	White/Red	50	2105000 2944ROZZZENY ALLENY

<u>Spring-Net</u>

- High quality elastic netting
- Available in white or red/white
- 2-way stretch for optimum pressure
- Easy to peel
- Multiple sizes

Code	Description	Colour	Length of Roll (m)	Product Image
NETSPNL516R NETSPNL516W	L5 16/60 L5 16/60	Red & White White	50	A THE PARTY
NETSPNL518R NETSPNL518W	L5 18/70 L5 18/70	Red & White White	50	
NETSPNL520R NETSPNL520W	L5 20/80 L5 20/80	Red & White White	50	
NETSPNL522R NETSPNL522W	L5 22/90 L5 22/90	Red & White White	50	
NETSPNL524R Netspnl524W	L5 24/100 L5 24/100	Red & White White	50	
NETSPNL526R NETSPNL526W	L5 26/110 L5 26/110	Red & White White	50	
NETSPNL528R NETSPNL528W	L5 28/120 L5 28/120	Red & White White	50	

<u>Merc-Net</u>

- Integrated netting and fabric
- Improves yield
- Leaves spiral indentation
- Excellent smoke penetration
- Great binding strength
- Quality looking final product

Code	Size (mm)	Colour	Roll Length (m)	Product Image
NETMN6050	60	White	50	
NETMN11050	110	White	50	
NETMN12550	125	White	50	
NETMN16050	160	White	50	
NETMN18050	180	White	50	
NETMN22050	220	White	50	

Code	Size (mm)	Colour	Roll Length (m)	Product Image
NETMSN22	22sq x 48 x 180	White	50	

<u>Meshnet</u>

- Fine/ultra-fine square netting
- Holds product tightly
- Improves binding
- Reduction of air pockets
- Peels easily

Code	Description	Size (m)	Colour	Unit Per Bundle/Carton	Product Image
NETNB1MYE	Bag C&C	1	Yellow	2000C	
NETNB1MW	Bag C&C	1	White	2000C	
NETNB1MBR	Bag C&C	1	Red	100BDL	
NETNB1MBW	Bag C&C	1	White	100BDL	

Code	Description	Size (mm)	Unit Per Bundle	Product Image
NETSN390C900MB	Nylon	390 x 900	25	

Code	Size (mm)	Unit	Product Image
NETLFRA125	125	Each	
NETLFRA140	140	Each	
NETLE160	160	Each	

Code	Description	Weight (kg)	Product Image
STODMD60NZ	Stockinette DMD NZ Roll Cream	Approx. 2.5	
STOWENNO2	Stockinette Roll Rayon White	2	

Code	Colour	Size (mm)	Unit Per Bag	Product Image
TRULO652300BK	Black	65	5000	888
TRULO652300BL	Blue	65	5000	
TRULO652300GR	Green	65	5000	
TRUL0652300GR1	Green	65	1000	XXX
TRUL0652300RD	Red	65	5000	
TRUL0652300RD1	Red	65	1000	
TRUL0652300WH	White	65	5000	
TRUL0652300YL	Yellow	65	5000	000

NETTING

<u>Netlon</u>

Netlon bags are ideal for packing garlic, fruit, vegetables, nuts etc.

<u>Smokenet</u>

Cloth netting used to hold your ham together throughout the smoking process. Allows the smoke to penetrate the netting whilst still maintaining optimum moisture levels inside.

NETTING LOADERS

For easy loading and applying netting to products

CLOTHS <u>Stockinette DMD</u>

Made of highly-absorbent durable cotton. Suitable for cleaning, painting and polishing.

<u>Stockinette Roll Rayon</u>

Stockinette Roll is a very absorbent lint free cloth roll used to apply wax and for buffing up the wax, also ideal for applying spirit and water based stains.

TRUSS LOOPS

Ideal for binding poultry, birds and meat. These loops have been specially designed to contain the animals limbs to be spit roasted.

BUTCHERS PAPER

<u>BBQ Peach Paper</u>

100% food grade, thick and robust paper, increased strength when wet. This means you can wrap raw meat with it, use it in your smoker while cooking and it won't fall apart or leak.

<u>French Butcher</u> <u>Deli Paper - iKON</u>

- Available in 2 colours (pink and white check or brown)
- Three sizes of each colour available
- Environmentally friendly alternative to plastic bags
- Unique to Dunninghams and direct from France

Waxed Patty Sheets

Burger pattie paper is ease to separate from the patties when the wax papers sheets to put between the patties and great for separating burgers after using a press.

Non stick. These patty papers can be 100% water and oil resistant that kept your food fresh. You can use the pattie paper for pressing hamburgers and stacking patties to cook or freeze. It's easy to use and store.

Code	Description	Size	Unit Per Pack	Product Image
IKPPR	Paper Peach Roll 45gsm	450mm x 500m	1 Roll	
IKPPS	Paper Peach Sheets	430mm x 300mm	250	

Code	Description	Size (mm)	Unit Per Pack	Product Image
IKTHPB2033	Brown	200 x 330	1000	
IKTHPB2535	Brown	250 x 350	1000	
IKTHPB4050	Brown	400 x 500	1000	
IKTHPP2033	Pink & White	200 x 330	1000	
IKTHPP2535	Pink & White	250 x 350	1000	
IKTHPP4050	Pink & White	400 x 500	1000	

Code	Description	Size (mm)	Unit Per Pack/Carton	Product Image
PAPBOPPFP100 Papboppfp120	Patty Clear Film	100 diameter 120 diameter	1000P 1000P	
PAPP110HP	Patty Waxed Hole Punched - Round	110 Round	1000/28	
PAPP127	Patty Waxed Hole Punched - Square	127 x 127	1000P	•

Code	Description	Size (mm)	Unit Per Pack/Carton	Product Image
PAPSR450	Sandow Roll	450 (50gsm)	Roll	450mm
Papsr600		600 (50gsm)	Roll	Sögam
PAPSRD450	Sandow Roll	450	Each	
PAPSRD600	Dispenser	600	Each	
PAPSS450600	Sandow Sheets	450 x 600 (50gsm)	Pack	

Code	Description	Size (mm)	Unit Per Pack	Product Image
PAPDW200330	Deli Wrap Waxed	330 x 200	1000P	
PAPMSP	Meat Saver Paper	375 x 250	1000P	
PAPN20	Newsprint	720 x 800	20P	
PAPREDS450600	Rediwrap Sheets	450 x 600	500P	- V

BUTCHERS PAPER

Sandow Paper

- Wrapping meat
- Meat storage

- Absorbing excess moisture Protecting meat during storage

Dispenser

dispensing paper fast and efficient.

OTHER PAPER

Deli Wrap Waxed

Deli-Wrap has light wax coverage on both sides, creating a food wrap allowing breathability. It's perfect for and seafood.

Meat Saver Paper

Suitable for red meat.

Newsprint

SHANK CAPS

Designed to fit over bones, preventing potentially sharp bones from piercing the external packaging during the vacuuming process.

SOAKER PADS

Soaker pads are used in food trays with meat, fruit and seafood to help both the shelf-life and improve the appearance of the food in question.

*white soaker pads can be ordered if required, MOQ applies.

SKEWERS

Steels & Wood

Perfect for serving delicious kebabs and other meats, vegetables and seafood.

Code	Description	Unit Per Pack/Carton	Product Image
SHA	Ham (Clear)	45/80 (3600)	
SHAG	Ham (Gold)	45/80 (3600)	
SHAL	Lamb (Clear)	60/80 (15,000)	

Code	Description	Colour	Size (mm)	Unit Per Carton	Product Image
SOAKP6814050BLK	50ml	Black	68 x 140	5000	
SOAKP90120100BLK	100ml	Black	90 x 120	1700	
SOAKP90120100WH*	100ml	White	90 x 120	1700	
SOAKP90150150BLK	150ml	Black	90 x 150	1700	
SOAKP90150150WH*	150ml	White	90 x 150	1700	

Code	Description	Size (mm)	Unit Per Carton	Product Image
SKESSR	Stainless Steel Rolling	300	-	¢
SKESB20035	Kebab Wood	205 x 3.7	1000	
SKEW200 SKEW200BX	Wooden Lancer Wooden Lancer	200 x 6 200 x 6	1000 2000	>
SKEHD	Hot Dog Sticks	1000	1000	State Processing
SKENS	Nibble Stick	80 x 2.5	1000	
SKET	Toothpicks	80 x 2.5	-	
Bamboo				
SKEBP150 SKEBP200	Bamboo Paddle	150 200	100 100	
SKEB200KG	Bamboo	200 x 3	approx 930	

Code	Description	Unit Per Carton	Product Image
STAPR7312PLIER	73/12 Pliers	Each	seo.
STAPMPS2	Max Packner HR PS 2	Each	
STAPP7	Hog Ring Pliers Bostich P7	Each	

Code	Description	Туре	Unit Per Pack
STAPB616G50B	Bostich	616G50B - Blunt	2500
STAPMP11	Max Packner	11mm alum	2000
STAPMP13	Max Packner	13mm alum	2000
STAPS735 STAPS740	Polyclips	S735 S740	2970 2970
STAPR7310 STAPR7312	For Rapid	73/10 73/12	5000 5000
STAR100T Star120t Star150t	Tipper Tie Clipper	R100 R120 R150T	10,000 8000 8000

Code	Description	Size	Unit	Product Image
STRFF1400 Strfrf450 Strfrf500	Rapfast - Machine & Hand Wrap	400 Flex 1 450 New Gen 500 New Gen	Roll Roll Roll	(Report Well-Married Party)
STRFIK380HAND Strfik450HAND	iKON Hand Wrap	380 450	Roll Roll	and a second sec

STAPLERS

<u>Max Packner HR PS 2</u>

Max HR-PS II manual hermetic bag sealer (Packner). Seals polybags air and water tight.

Hog Ring Pliers Bostich

Designed for fastening ropes, cords, cables and fabrics or materials to wire frames.

STAPLES

STRETCH FILM

Food wrap, 1200 meters. Ideal for use in restaurants, cafes and catering environments. It can be used to cover bowls and tubs, or wrap food directly to keep it fresher for longer.



TAPE

<u>Dispensers</u>

Fast and easy to use, one motion wraps tape around neck of bag so it sticks to itself. It can be used with poly and cellophane bags. Built-in trimmer cuts tape and seals bag to size.

Bag Neck Sealers & Tapes

Dunninghams provides a wide range of tapes for multi purpose uses.

Code	Description	Size (mm)	Colour	Product Image
BAGS1032PCB	Powder Coated Sealer	9	Blue	A.
BAGS1032SS	Stainless Steel Sealer	9	Steel	

Code	Description	Size	Colour	Unit Per Carton	Product Image
TAPEVO9BL Tapevo9gr Tapevo9red Tapevo9ye Tapevo9yh	Vinyl Bag Neck Sealer	9mm x 66m	Blue Green Red Yellow White	Roll Roll Roll Roll Roll	0
TAPEV12GRN Tapev12Red Tapev12BL	Vinyl Bag Neck Sealer	12mm x 66m	Green Red Blue	Min 12 Min 12 Min 12	0
TAPE48CC76	iKON Tape	48mm x 76m	Clear	36C	
TAPES18CAN	Cellulose Tape	18mm x 66m	Clear	8 Per Box	9
TAPEM24	Tape Masking	24mm x 50m	Cream	Each	0
STRAPSTR123KMPBL	Strapping Tape	12mm x 3000m	Blue	Each	
TAPET1100M	Teflon Tape - Vac Pack	50mm x 1.1m		Each	
TAPET15MR	Teflon Tape - Vac Pack	50mm x 15m		Each	O

Code	Description	Size (m)	Product Image
TWIDP	White Polyester	400	
TWIPB	Black Polyester	400	
TWIGRW	Gourmet - Red & White	560	
TWIGGW	Gourmet - Dark Green & White	560	
TWIGBW	Gourmet - Blue & White	560	
TWI53PN	5/3 Gold Nylon	-	
TWIESW	Ennio String White	55m	
TWIESR	Ennio Red String	55m	
TWIPC1800	Polycotton White 2-Ply	-	
TWITR6400	Telstra Rope	6mm x 400m	

TWINE

Twine is a versatile tool in the field of butchery, where it is commonly used for various purposes. Here are some of the primary uses of twine in butchery:

<u>Trussing Poultry and Meat</u>

Twine is often used to truss or tie poultry, such as chickens and turkeys, as well as cuts of meat like roasts or stuffed meats. Trussing helps maintain the shape of the meat during cooking, ensuring even cooking and presentation.

Securing Stuffed Meat

When preparing stuffed meats, twine is used to tie the opening of the meat to keep the stuffing inside during cooking. This helps in preventing the stuffing from spilling out and helps the meat cook evenly.

Creating Butcher's Knots

Butcher's knots are specialised knots used to tie off sausages and other meat products during the sausage-making process. These knots are essential for sealing sausages and ensuring that they hold their shape.

Hanging and Aging

In some cases, twine is used to hang meats for aging, especially in traditional or artisanal butchery. The twine is used to secure the meat to hooks or racks for the aging process.

Identifying Cuts

Butchers may use twine to label or mark specific cuts of meat. For example, they might tie coloured twine around different cuts to easily distinguish between them.

Supporting Bone-In Cuts

When dealing with bone-in cuts of meat, twine can be used to secure the bones in place, preventing them from moving during cooking and making carving easier.

MAP TRAYS Mono PET - iKON

Kerbside recyclable trays

<u>Meat Display</u>

Mono PET trays are commonly used for displaying various cuts of meat, such as steaks, chops, ground meat, and poultry. They provide a clean and attractive presentation,

<u>Hygiene</u>

PET trays are easy to clean and sanitize, which is crucial for maintaining hygiene standards in a butchery. They can be washed and reused or disposed of after use to prevent cross-contamination.

<u>Protection</u>

They can be sealed with plastic wrap or a lid to create a barrier that keeps meat fresh and prevents it from coming into contact with other products or foreign substances.

PET LIQUID LOCK


<u>iKON Trays</u> Kerbside recyclable trav

Liquid Lock is a revolutionary new honeycomb design that locks excess moisture in place without the need of a soaker pad. It's made from a high clarity food grade RPET, which is a general-purpose thermoplastic polymer, and is one of the most recycled thermoplastics.

The benefits of Liquid Lock to you and your business are massive:

- 100% recyclable
- Strong
- Lightweight
- Durable
- Made from a high clarity food grade RPET
- Great for both machine and hand wrapping
- Better shelf performance

Code	Description	Size (mm)	Depth (mm)	Unit Per Carton	Product Image
TRAPETIK97C30	97 Clear	170 x 220	30	200	
TRAPETIK97C40	97 Clear	170 x 220	40	200	
TRAPETIK97C50	97 Clear	170 x 222	50	200	
TRAPETIK97C60	97 Clear	170 x 220	60	150	
TRAPETIK119C40	119 Clear	230 x 297	40	180	



Code	Size (in)	Depth (mm)	Unit Per Carton	Product Image
TRALLIK75C35	7 x 5	30	1200	
TRALLIK85C35	8 x 5	30	700	
TRALLIK106C35	10 x 6	30	700	
TRALLIK108C35	10 x 8	30	700	
TRALLIK115C35	11 x 5	30	600	
TRALLIK119C50	11 x 9	50	350	
TRALLIK1310C35	13 x 10	30	320	
TRALLIK1411C35	14 x 11	35	320	

Code	Size (mm)	Depth (mm)	Product Image
Black 1 Compartment			
TRACPET2103B	127 x 171	35	
TRACPET2173B	127 x 215	50	
TRACPET2175B	127 x 215	40	
TRACPET2012B	155 x 200	34	
TRACPET2212B	155 x 200	45	
TRACPET2412B	155 x 200	50	
TRACPET2512B	155 x 200	55	
TRACPET2476B	169 x 221	51	
TRACPET2077B	169 x 221	76	
TRACPET2016B	177 x 227	35	
Black 2 Compartment			
TRACPET2014B	155 x 200	35	
TRACPET2314B	155 x 200	45	1 1
TRACPET2116B	177 x 227	35	
TRACPET2295B	188 x 137	35	
Black 3 Compartment			
TRACPET2017B	177 x 227	32	F
Clear 1 Compartment			
TRARCPET8629N	265 x 325	51	
Code	Size (mm)	Depth (mm)	Units Per Carton Product Image
Natural - 1 Compartme	ent		
	127 x 171	35	550
IKARUPEIZIU3N		34	500
TRARCPET2103N TRARCPET2012N	155 x 200		
TRARCPET2012N	155 x 200 155 x 200		
IRARCPET2012N IRARCPET2212N	155 x 200	45	288
IRARCPET2012N IRARCPET2212N IRARCPET8682N	155 x 200 175 x 226	45 34	288 350
RARCPET2012N RARCPET2212N	155 x 200	45	288

Natural - 2 Compartment

 TRARCPET2014N
 155 x 200
 35

 TRARCPET8688N
 175 x 226
 43

500

350

CPET TRAYS iKON Trays

Made from CPET (Crystalline Polyethylene Terephthalate), our meal containers are ideal for hot and cold convenience meals. The temperature usage range is very wide, from -40°C to +220°C, making CPET meal trays suitable for use in freezers, microwaves and ovens. These are designed to resist fats, oils and sugars.

Heat seal lid options are available for tamper evident seals, and polypropylene lids are available on some tray sizes. Used containers are ideal for recycling, recyclers would prefer these to be cleaned before deposited.



LIDDING FILM

Suitable for Mono PET

- Easy peel
- Anti-fog
- High barrier
- Suitable for the oven

Suitable for Mono PET

- Lock seal
- Anti-fog
- High barrier
- Suitable for the over

Note: other sizes available on request

Suitable for PE Lined Tray

- Easy peel
- Suitable for the oven

iKON Tray Sealers

The manual tray sealer can be used for Mono PET or CPET packaging of ready meals, fresh and cooked meats, seafood, dairy, vegetables and salads, baked foods, fruit and much more.

Simple and economical to use, the manual tray sealer uses heat to seal the lidding film to CPET trays and is suited to retail food businesses, commercial kitchens and small food processing businesses.

Code	Description	Size	Product Image
40um			
STRFL220500B440	Film Oven Lid	220mm x 500m	
STRFL320500B440	Film Oven Lid	320mm x 500m	
Code	Description	Size	Product Image
25um			
STRFL4301600AFLSHB	Film Oven Lid	430mm x 1600m	
45um			
STRFL220500AFLSHB	Film Oven Lid	220mm x 500m	(all all all all all all all all all all
STRFL320500AFLSHB	Film Oven Lid	320 mm x 500m	-
STRFL350500AFLSHB	Film Oven Lid	350mm x 500m	
STRFL380500AFLSHB	Film Oven Lid	380mm x 500m	
STRFL470500AFLSHB	Film Oven Lid	470mm x 500m	

Code	Description	Size	Product Image
42um			
			- m
STRFL220500EPC42	Film Oven Lid	220mm x 500m	
STRFL42420	Film Oven Lid	420mm x 500m	
STRFL450500EPC42	Film Oven Lid	450mm x 500m	1.4.1



130

Code	Size	Product Image
IKCLING33300	33cm x 300m	L Cling
IKCLING45300	45cm x 300m	Ling Contractor
IKCLING33	33cm x 600m	i Cing
IKCLING45	45cm x 600m	L Cling
Code	Description Size	Product Image
IKFOILSMAP	All-Purpose 33cm x 150m	
IKFOILAP	All-Purpose 44cm x 150m	Foil Control of Contro
IKFOILHD	Heavy Duty 44cm x 150m	L Ford
IKFOILSHD	BBQ Super 44cm x 65m Heavy Duty	
Code	Size	Product Image
iKBAKE30	30cm x 120m	en and Converted States
iKBAKE40	40cm x 120m	i Bake
iKBAKE45	45cm x 120m	i Bake

CLING WRAP

iKON i-Cling

- Stretches and covers foods without splitting or tearing
- Microwave safe
- Includes cutter bar

FOIL WRAP

iKON i-Foil

- For use in kitchens and take aways
- Six rolls in every carton

BAKING PAPER

<u>iKON i-Bake</u>

- Microwave and oven safe
- Four rolls in every carton

ECOBOARD

Clams & Corrugated Trays

Steam release vents on IKEBB2/ IKEBSP3. Sturdy and versatile, these ecoboard boxes can handle a wide variety of hot and cold foods. Made from brown corrugated fluted board, they are grease and water resistant, perfect for food deliveries, takeaways, cafes and bakeries. Durable and sturdy construction, pre-assembled trays. Biodegradeable, compostable and recvclable.

Code	Description	Size (mm)	Sleeves/ Carton	Product Image
IKEBB1	IKON Burger Clam	102 x105 x 80	4/200C	
IKEBB2	IKON Jumbo Burger Clam	120 x 120 x 100	4/200C	CS.
IKEBSP2	IKON Regular Snack Box	176 x 91 x 80	4/200C	
IKEBSP3	IKON Large Snack Box	210 x 108 x 80	4/200C	
IKEBEDB	IKON Dinner Box	180 x 160 x 80	3/150C	
IKEBFBX	IKON Family Dinner Box	290 x 170 x 85	2/100C	
IKEBHDOG	IKON Hot Dog Box	210 x 70 x 75	4/200C	
IKEBT1	IKON Tray #1	130 x 90 x 50	4/500C	
IKEBT3	IKON Tray #3	180 x 135 x 45	2/250C	
IKEBT4	IKON Tray #4	225 x 152 x 45	2/2500	
IKEBT5	IKON Tray #5	255 x 179 x 58	1/1000	

Code	Description	Size (mm)	Sleeves/Carton	Product Image
IKECBC	Burger 6" Clam	140 x 140 x 35	4/400	
IKECLM	Meal Clam	200 x 200 x 35	2/200	
IKECLMC	Meal Clam 3 Compartment	200 x 200 x 35	2/200	
IKECEXLD3	3 Compartment Large	232 x 233 x 80	100/200	
IKECEXLD	Large Dinner Clam	232 x 233 x 80	100/200	
IKECSNKS	Small Snack Box	180 x 130 x 35	4/400	
IKECSNK	Large Snack Box	250 x 160 x 35	2/250	
IKECSCM	Large 2 Compartment Snack Box	250 x 160 x 35 (30/70)	2/250	

SUGAR CANE CLAMS

Sturdy and versatile, these clams can handle a wide variety of hot and cold foods. They are grease and water resistant, perfect for food deliveries. Home compostable.

WHITE PAPER TRAYS

Sturdy and versatile, these paper food trays can handle a wide variety of hot and cold foods. They are grease and water resistant, perfect for food deliveries, takeaways, cafes and bakeries.

PARCHMENT PAPER

Parchment is a non-toxic, grease and moisture resistant paper specially treated for oven use. Parchment paper is very versatile and can be used for everything from lining baking sheets to wrapping fish

• Microwave and oven safe

SUGAR CANE PLATES

Sturdy and versatile, these plates can handle a wide variety of hot and cold foods. They are grease and water resistant. Home compostable.

SANDWICH WEDGES

Great for restaurants, shops, delis and bakeries. Incorporates a clear view window to display your product.

Code	Description	Size (mm)	Unit Per Carton	Product Image
IKFTB	Paper Tray Baby	145 x 107 x 44	200	
IKFTS	Paper Tray Small	190 x 130 x 45	200	
IKFTM	Paper Tray Medium	220 x 150 x 50	200	
IKFTL	Paper Tray Large	250 x 180 x 58	200	

Code	Description		Size (mm)	Units Per Carton	Product Image
IKBAKES457 IKBAKES4672	Parchment Ba Parchment Ba	king Paper king Paper	405 x 710 460 x 720	500 500	
Code	Description	Size (n	nm) SI	eeves/Carton	Product Image

IKEC7R	Plate 7" Round White	180 diam 18H	10/500	
IKEC9R	Plate 9" Round White	225 diam 20H	5/250	



Code	Description	Size (mm)	Sleeves/Carton	Product Image
IKSCBK8	8oz Round Cup	62 x 90 x 90	20/500	
IKSCBK12	12oz Round Cup	62 x 115 x 115	20/500	
IKSCBK16	16oz Round Cup	80 x 115 x 115	25/500	
IKSCBK24	24oz Round Cup	113 x 115 x 115	20/500	
IKSCLID8	Lid For 8oz Cup	90	20/1000	0
IKSCLID1224	Lid For 12, 16, 24oz	115	20/1000	

Code	Description	Size (mm)	Units Per Carton	Product Image
IKECT65	Eco Cane Tray	160 x 138 x 15	500	
IKECT85	Eco Cane Tray	8 x 5 x 20	500	
IKECT106 IKECT108 IKECT119	Eco Cane Tray Eco Cane Tray Eco Cane Tray	10 x 6 x 25 10 x 8 x 25 11 x 9 x 25	500 500 500	
IKECT115	Eco Cane Tray	255X205X25	500	A

PAPER DELI CONTAINERS

Full range of sizes available. Microwavable lids with steam vents. Great for soup and other deli items.

Lids purchased separately

SUGAR CANE RANGE

Trays

Sturdy and versatile, these sugarcane trays can handle a wide variety of hot and cold foods. They are grease and water resistant, perfect for food deliveries.

- Home compostable.
- Robust tray for over wrapping
- Excellent biodegradable alternative
- Natural colour

ROUND TAKEAWAY CONTAINERS

iKON takeaway containers are multi functional and the excellent seal keeps food fresh. Great for supermarkets and delis.

PORTION CUPS

<u>With Hinged Lid</u> Plastic hinged lid container, goo

		Canacity	llnit Per	
Code	Description	Capacity (ml)	Unit Per Carton	Product Image
IKC8	iKON Clear Round Container	200	50/1000	
IKI16RND	iKON Clear Round Container	440	50/500	0
IKC20	iKON Clear Round Container	500	50/500	
IKI125RND	iKON Clear Round Container	700	50/500	0
ILIDRND	iKON Clear Round Lid	-	50/500	
Code	Capacity (ml)	Sleeves/ Ca	arton	Product Image
IKPC25	25	20/1000		
IKPC50	50	20/1000		
IKPC250	250	10/500		

Code	Description	Capacity	Sleeves/ Carton	Product Image
IK408FL	Clear Round Flat, Hinged Lid	8oz (227ml)	5/250	
IK4012FL	Clear Round Flat, Hinged Lid	12oz (341ml)	5/250	Contraction of the second
IK4016FL	Clear Round Flat, Hinged Lid	16oz (455ml)	5/250	
IK6620FL	Clear Round Flat, Hinged Lid	20oz (568ml)	3/150	
IK6624FL	Clear Round Flat, Hinged Lid	24oz (682ml)	3/150	Con our of the second
IK6632FL	Clear Round Flat, Hinged Lid	32oz (909ml)	3/150	
IK6648FL	Clear Round Flat, Hinged Lid	48oz (1364ml)	3/150	
			eeves/	
Code IKUTILSML	Description Utility Duo Small Base & Lid		irton 300	Product Image
IKUTILEL	Utility Duo X Large Base & Lid	- 2/	100	

SHO BOWLS

Round (Flat Lid)

iKON food bowls are great for salads, fresh foods, biscuits, cakes, nuts and sweets. Air-tight lids ensure freshness and ribbed sidewalls help prevent crushing while also improving stacking. Available in a wide variety of sizes, complete range in either flat or dome lid.

UTILITY TRAYS

<u>Flat Lid</u> Great for restaurants, sushi shops, delis and bakeries.

ROUND & RECTANGLE BOWLS

Sturdy and versatile, these containers can handle a wide variety of hot and cold foods, including soups and curries. They are grease and water resistant, with a leak-proof and secure lid – perfect for food deliveries. Home compostable bases (lids are recyclable).

Lids Purchased Separately


I-CUBE

iKON iCUBE containers are multifunctional and the excellent seal keeps food fresh. Made from recyclable P.E.T.

Code	Description	Size (mm)	Sleeves/ Carton	Product Image
IKECR28 IKECRL8	Rectangular 28oz Nat PET Lid To Fit IKECR28 28oz	228 x 157 x 48 228 x 157	2/250 2/250	
IKECB30 IKECBL3	Round Bowl 30oz Nat Round Bowl Lid	195 diam 53H	2/250 2/250	
TRAIBG97DPNAT Lidpet97dpnat	Deep Sugar Cane Tray Lid To Fit Deep 9"x 7" Tray	9"x 7"x 50 9"x 7"x 30	2 /200 2 /200	

Code	Description	Capacity (ml)	Sleeves/ Carton	Product Image
IKCUBE8	i-Cube Clear Square	250	5/250	
IKCUBE12	i-Cube Clear Square	450	5/250	
IKCUBE16	i-Cube Clear Square	600	5/250	
IKCUBE20	i-Cube Clear Square	500	3/150	
IKCUBE24	i-Cube Clear Square	750	3/150	
IKCUBE32	i-Cube Clear Square	1000	3/150	

Code	Description	Size (oz/ml)	Sleeves/ Carton	Product Image
IK408DL	Clear Round Dome, Hinged Lid	8/227	5/250	
IK4012DL	Clear Round Dome, Hinged Lid	12/341	5/250	
IK4016DL	Clear Round Dome, Hinged Lid	16/455	5/250	
IK6620DL	Clear Round Dome, Hinged Lid	20/568	3/150	
IK6624DL	Clear Round Dome, Hinged Lid	24/682	3/150	Concerned and the second
IK6632DL	Clear Round Dome, Hinged Lid	32/909	3/150	
IK6648DL	Clear Round Dome, Hinged Lid	48/1364	3/150	Constanting of the second seco



SHO BOWLS Round (Dome Lid)

iKON food bowls are great for salads, fresh foods, biscuits, cakes, nuts and sweets. Air-tight lids ensure freshness and ribbed sidewalls help prevent crushing while also improving stacking. Available in a wide variety of sizes, complete range in either flat or dome lid.

CLEAR CONTAINERS

<u>Square</u>

iKON iCUBE containers are multifunctional and the excellent seal keeps food fresh. Made from recyclable P.E.T.

CLEAR ADVANTAGE®

<u>Hinged Lid</u>

iKON takeaway containers are multifunctional and the excellent seal keeps food fresh. Great for supermarkets and delis.

Code	Description	Size (mm)	Sleeves/ Carton	Product Image
IKMUFFIN	4 Muffin Pack	178 x 357 x 41	2/200	
IKCL1	Clam, Small	117 x 203 x 40	2/500	
IKCL2	Clam, Large	129 x 258 x 40	4/500	
IKCL3	Clam, Jumbo	148 x 294 x 40	3/300	
IKSP2	Rectangle Small	163 x 234 x 35	4/500	
IKSP3	Rectangle Large	193 x 240 x 35	4/500	
IKSP4	Rectangle Super	229 x 286 x 35	2/200	
IKBULK	Rectangle Bulk	257 x 342 x 6	2/200	
IKRP2	Roll, Large	190 x 240 x 44	4/400	

Code	Description	Capacity (ml)	Size (mm)	Sleeves/ Carton	Product Image
IKSEAL4	Clear Rectangle	400	120 x 92 x 65	5/250	\bigcirc
IKSEAL5	Clear Rectangle	500	120 x 92 x 75	5/250	
IKSEAL6	Clear Rectangle	600	178 x 123 x 52	3/150	
IKSEAL7	Clear Rectangle	700	178 x 123 x 58	3/150	\bigcirc
IKSEAL10	Clear Rectangle	1000	178 x 123 x 85	3/150	

Code	Description	Size (mm)	Sleeves/Carton	Product Image
IKCAKESML	Dome Duo, Small, Round Base & Lid	216 x 50	2/100	
IKCAKEMED	Dome Duo, Medium, Round Base & Lid	216 x 75	2/100	
IKCAKELGE	Dome Duo, Large, Round Base & Lid	216 x 100	2/100	
IKSLAB	Dome Duo, Slab, Square Base & Lid	199 x 229 x 65	4/200	
IKBCAKESML	Slab, Short, Rectangle Base & Lid	134 x 232 x 31	4/200	
IKBCAKE	Slab, Tall, Rectangle Base & Lid	134 x 232 x 62	4/200	

COMPLETE SEAL® RECTANGLE

<u>Hinged Lid</u>

iKON complete seal rectangular P.E.T plastic takeaway containers enhance the overall clarity and presentation of your food products. Great for fresh food, such as salads, pastas, coleslaw, fruit, cakes and many other bakery products.

CAKE DOMES

iKON clear cake domes are perfect for presenting pre-made round cakes to your customer. Great for supermarket and bakeries. Clear dome and black base.

RECTANGLE TAKEAWAY CONTAINERS

<u>iKON</u>

Microwave safe. Secure lids. Great for takeaways, delis, bakeries and cafes.

Lids Purchased Separately

TNZ RANGE

The containers are safe for microwaves and the snap-on lid allows for a perfect seal.

Lids Purchased Separately

Code	Description	Capacity (ml)	Units Per Sleeve/Carton	Product Image
Clear Rectangle				
IKCM500	Clear	500	50/500	
IKCM750	Clear	750	50/500	
IKA900REC	Clear	900	50/500	
IKCM1000	Clear	1000	50/500	
IKCMLID	Clear Lid	-	50/500	
IKTARECT5001000	Tamper Evident Lid	-	50/500	
Black Rectangle				
IK750RECBL IKCM1000B	iKON Black iKON Black	750 1000	50/500 50/500	

Code	Description	Capacity (ml)	Unit Per Carton	Product Image
IKTNZ850	Rectangular	850ml	300	
IKTNZ900	Rectangular	900ml	300	
IKTNZDML	TNZ Dome Lid for TNZ850 & TNZ900 RT	-	300	
IKTNZFLL	TNZ Flat Lid for TNZ850 & TNZ900 RT	-	300	

Code	Description	Size (mm)	Units Sleeve/ Carton	Product Image
P601BK	iKON Black Base	127 x 180 x 40	100/500	
P601L	Lid for P601BK	119 x 174 x 20	100/500	

Code	Description	Size (mm)	Units Sleeve/ Carton	Product Image
P601BK	iKON Black Base	127 x 180 x 40	100/500	
T601L	Clear Lid for P601BK	119 x 174 x 20	100/500	

Ask your rep about...

VIKAN foot baths

Great for food processing plants, this sanitising foot bath has thousands of pliable rubber scrapers that dislodge contaminants from footwear as the shoe soles are immersed in the disinfectant solution

Sanitising Foot Bath, Black, Large/Shallow

Dimensions: 600mm x 800mm x 13mm Material: SBR RUBBER

Sanitising Foot Bath, Black/Yellow, Large

Dimensions: 1000mm x 800mm x 50mm Material: SBR RUBBER





READY MEAL CONTAINER

Microwave Safe PP Lid

- Freezer safe for ready-made meals
- Hot box safe to 80°C
- Easy opening corner tabs

with Clear PET Lid

- High clarity of lid for enhanced
- Microwavable base (not lid)
- Easy opening corner tabs

THERMOFORM

Product Information

Thermoforming films can offer a are automatic horizontal packaging machines that form packs using a top and bottom roll of film. During operation, the bottom film is shaped, then placed in the pack utilising the available loading area. The packs, now ladened with product, advance to a sealing station where vacuum is drawn to remove the air and, if necessary, add gas for modified atmosphere the packs and the individual packs are separated as part of the process. This packing option can be a great cost saver for a growing business that growth without impacting shelf life.


<u>Features</u>

- Shelf-life extension
- Both high and medium barriers are available to extend the shelf-life of your product whilst maintaining the quality
- Depending on your machinery and application, various structures, sizes and roll lengths can be produced to suit your specific needs
- Light weight and easy to transport making it more efficient and better for your carbon footprint
- Customisable design of the material to suit the application
- Fully printed options using up to 12 colours
- Films available in both matt and gloss print options

Film Options

Dunninghams have extended our range of thermoform webs we carry in stock with various widths, thicknesses and a few others options to suit various applications. Talk to us about your custom requirements as we can help you out. We can now offer thermoform films for all applications from standard flexible films, semi rigid, boilable, cook in, retort, breathable, high puncture resistant and everything in between and not to forget custom printed designs and in various materials to suit what your needs are.





Code	Description	Colour	Size
Clear			
TFTW27065CL1000	Thermoform Top Web	Clear	270 x 65 x 1000m
TFTW27565CL1000	Thermoform Top Web	Clear	275 x 65 x 1000m
TFTW29465CL500	Thermoform Top Web	Clear	294 x 65 x 500m
TFTW31570CL	Thermoform Top Web	Clear	315 x 70 x 800m
TFTW32065CL700	Thermoform Top Web	Clear	320 x 65 x 700m
TFTW35570CL500	Thermoform Top Web	Clear	355 x 70 x 500m
TFTW41565CL500	Thermoform Top Web	Clear	415 x 65 x 500m
TFTW41570CL500	Thermoform Top Web	Clear	415 x 70 x 500m
TFTW42065CL800	Thermoform Top Web	Clear	420 x 65 x 800m
TFTW45565CL500	Thermoform Top Web	Clear	455 x 65 x 500m

Code	Description	Colour	Size
Clear			
TFBW283150CL600	Thermoform Bottom Web	Clear	283 x 150 x 600m
TFBW287150CL600	Thermoform Bottom Web	Clear	287 x 150 x 600m
TFBW321150CL	Thermoform Bottom Web	Clear	321 x 150 x 400m
TFBW357150CL400	Thermoform Bottom Web	Clear	357 x 400m
TFBW358150CL	Thermoform Bottom Web	Clear	358 x 350m
TFBW358150CL500	Thermoform Bottom Web	Clear	358 x 150 x 500m
TFBW359120CL500	Thermoform Bottom Web	Clear	359 x 120 x 500m
TFBW361120CL500	Thermoform Bottom Web	Clear	361 x 120 x 500m
TFBW363150CL500	Thermoform Bottom Web	Clear	363 x 150 x 500m
TFBW383100CL700	Thermoform Bottom Web	Clear	383 x 100 x 700m
TFBW423120CL500	Thermoform Bottom Web	Clear	423 x 120 x 500m
TFBW423140CL350	Thermoform Bottom Web	Clear	423 x 140 x 350m
TFBW423150CL500	Thermoform Bottom Web	Clear	423 x 150 x 500m
TFBW423175CL400	Thermoform Bottom Web	Clear	423 x 175 x 400m
TFBW423250CL250	Thermoform Bottom Web	Clear	423 x 250 x 250m
TFBW461175CL250	Thermoform Bottom Web	Clear	461 x 175 x 250m
Black			
TFBW322150BK500	Thermoform Bottom Web	Black	322 x 150 x 500m
TFBW358150BK500	Thermoform Bottom Web	Black	359 x 150 x 500m
TFBW363150BK500	Thermoform Bottom Web	Black	363 x 150 x 500m
TFBW423130BK500	Thermoform Bottom Web	Black	423 x 130 x 500m
TFBW423180BK500	Thermoform Bottom Web	Black	423 x 180 x 500m
White			
TFBW358150WH400	Thermoform Bottom Web	White	358 x 150 x 400m

Code	Size	Unit Per Roll	Product Image
IKHCG450900ROLL	450 x 900	300/R	March 1900 March

Code	Size (mm)	Unit Per Roll/Carton	Product Image
IKHCV1520	150 x 200	100/1000	and the
IKHCV1724	175 x 240	100/1000	-
IKHCV2130	210 x 300	100/1000	and the second se
IKHCVAC2535	255 x 350	100/1000	THIS BAC IS HOMEON POSTABLE

Code	Size (mm)	Unit Per Pack	Product Image
IKHCSUP1520 IKHCSUP1827	155 x 200 185 x 275	100 50	нов вый в новере сомростите вы 64.6 в раз с возвания в сомрот и на возвания
Clear			
IKHCSUPC1520 IKHCSUPC1827	155 x 200 185 x 275	100 50	THE BAD IS HOLE COMPOSITORIE

COMPOSTABLE

Produce Bags

Home compostable produce fruit and vegetable bags are the perfect partner for packing foods, meats, seafood and general re-packing in warehouse environments.

<u>Vacuum Bags</u>

Certified home compostable. Doesn't break down in the carton, only when it goes in to the ground. 100% break down within 26 weeks. Fully toxin free. Worm friendly.

Stand-up Pouches

Compostable transparent pouches are a great alternative to petroleumbased plastics. Flexible pouches are lightweight and durable - reducing shipping costs and overall carbon footprint. A closeable zipper ensures that your product stays fresh, transparent material allows customers to view contents. Perfect for packaging dry foods, health products, subscriptions and refills, as well as non-food items.

STAND UP POUCHES *Clear Front, Silver Back*

Stand up Pouches with foil backs that can help your product stand out on the shelf. High Barrier pouches with zipper and tear nicks and suitable for use packing a wide range of products from dry goods to liquids and most things in between. Can be heat sealed, vacuum packed or used with gas flush processes. Recyclable via the Soft Plastics Recycling Scheme.

<u>Foil</u>

Stand up pouch with zipper. Fits 1kg of most powders, high barrier against oxygen, water and aromas. Can be used for multiple products that need added protection. Can be used for heat seal, vacuum packing and gas flush applications. Recyclable via the Soft Plastics Recycling Scheme.

<u>Kraft</u>

Stand up pouches with foil inner and zipper. Three sized pouches to suit 250g, 500g and 1kg (based on water fill weight to zipper) and suitable for a large range of products and packing applications.

<u>Matt Black/White</u>

Foil stand up pouches with zipper and tear notches. Great shelf appeal with these and they are suitable for gas flush, vacuum packing and heat sealing, they can offer extended shelf life versus standard clear pouches as are high barrier using metalised foil. We have three sizes to suit 250g, 500g and 1kg (based on water fill weight to zipper) and suitable for a large range of products. Recyclable via the Soft Plastics Recycling Scheme.

For any customer specific sizes, print designs or products you want to pack please speak to the team and we can sort out your packaging requirements

Um = Thickness

Code	Size (mm)	Um	Weight	Carton Quantity	Product Image
Clear Front / Silve	er Back				
SUPSB120200 SUPSB140210	120 x 200 140 x 210	104 114	300g 500g	100/1000 100/1000	
Foil					
SUPF250300	250 x 300	125	2.5kg	100/1000	
Kraft					
SUPKFT120200 SUPKFT140210 SUPKFT160290	120 x 200 140 x 210 160 x 290	118 128 128	250g 100/1000 500g 100/1000 1kg 100/1000		
				Carton	
Code	Size (mm)	Um	Weight		Product Image
Matt Black					
SUPMB120200 SUPMB140210 SUPMB160290	120 x 200 140 x 210 160 x 290	116 116 126	250g 500g 1kg	100/1000 100/1000 100/1000	
Matt White					
SUPMW120200 SUPMW140210 SUPMW160290	120 x 200 140 x 210 160 x 290	116 116 126	250g 500g 1kg	100/1000 100/1000 100/1000	

Code Liquid Clear - Liqu	Size (mm) id above 60°C	Um	Weight	Carton Quantity	Product Image
SUPCL120210LIQ	120 x 200	92	250ml	100/1000	XX

500ml

11

100/1000

100/1000

10 and	

Dry Clear - Liquid below 60°C

140 x 210

160 x 290

112

132

SUPCL140220LIQ

SUPCL160290LIQ

SUPCL120210	120 x 200	92	250g	100/1000	
SUPCL140220	140 x 210	112	500g	100/1000	Interior
SUPCL160290	160 x 290	132	1kg	100/1000	A COMPANY

Clear - Liquid below 60°C

SUPCL220280	220 x 280	132	1.5kg	100/500
SUP280310	280 x 310	152	2.5kg	100/500



CLEAR STAND UP POUCHES

<u>Liquid Clear</u>

High barrier stand up pouches with zipper and tear nicks suitable for all hot fill applications, post pack posterisation and almost anything else needing the higher barrier protection and with the product still being visible. We have three sizes to suit 250g, 500g and 1kg (based on water fill weight to zipper). Recyclable via the Soft Plastics Recycling Scheme.

Dry Clear

High barrier stand up pouches with zipper and tear nicks suitable for all various applications from liquid (not hot fill), cereals, legumes and almost anything else and with the product still being visible. We have three sizes to suit 250g, 500g and 1kg (based on water fill weight to zipper). Recyclable via the Soft Plastics Recycling Scheme.

<u>Clear</u>

High barrier stand up pouches with zipper and tear nicks suitable for all various applications from liquid (not hot fill), cereals, legumes and almost anything else and with the product still being visible. These are larger size for your bulk packing requirements. We have two sizes the 1.5kg and 2.5kg options (based on water fill weight to zipper). Recyclable via the Soft Plastics Recycling Scheme).

For any customer specific sizes, print designs or products please speak to the team.



The Industry Specialist

Ennio has a reputation for innovation and problem solving, with a long history of working with customers to give them a competitive edge in the marketplace.



Spring-Net

Spring-Net Product Benefits

- Patented web stitch design, easiest peel
- 2-Way stretch provides optimum pressure
- Better binding and overall shape
- Strip loss greatly reduced
- No expensive films required

Use Spring-Net for roasting, smoking and water cooking.

Elastic Netting

Available in Various Strengths

- Light: L5
- Heavy: H3
- Extra Heavy: X3

ennio Spring-Net is the easiest to peel of any elastic netting.

Size Guide										
Squares L5/H3	12	14	16	18	20	22	24	26	28	30
Squares X3					48	48	48	48	48	48
Tube Diameter (mm)	75	90	110	125	140	160	180	200	220	240
Lay Flat (mm)	40	50	60	70	80	90	100	110	120	130

DEXTER Personal grip filleting knife

Moldable handle material allows the user to form each handle to their particular grip, making the handle more comfortable to use and easier to grip.

KNIDXURCUT8

Dimensions: 20cm Colour: Orange

How to mold

STEP 1: use oven mitt/pliers to hold the blade. Dip the handle in boiling water to just cover the handle, without the knife blade touching the sides or bottom of the pot.

STEP 2: Hold it in the water for 2 minutes.

STEP 3: Remove from the water and dip in cold water for 1 second, then grip the handle as if using, then squeeze.

STEP 4: Dip the handle in cold water for 10 seconds to maintain the shape.

STEP 5: Let it cool before using.





Smoke-Net Casing

Smoke-Net Product Benefits

- Superior yield and retains moisture
- Keeps the shape of the meat
- No additional hanging nets required
- Produces better slicing ham

- No cracking at the hock
- Peels well
- Excellent smoke penetration and colour
- Softer, more tender bite

Speak to your sales representative to learn about yield savings.

ennio Smoke-Net used on bone-in-hams.



Size Guide								
Flat Width Stretched (mm)	220	240	260	280	340	360	390	670
Tube Diameter (mm)	125	140	160	180	200	220	240	280+





ennio international Phone +61 8 8261 9444 info@ennio.com.au ennio.com.au

38-44 Jacobsen Crescent PO Box 56 Holden Hill South Australia 5088 Australia



Quality Assured, Quality Ensured

